

# DEALER FACILITY BRAND GUIDE

SEPTEMBER 2021







# Introduction

The main purpose of the Dealer Facility Guideline is to provide an overview of the elements available to help you promote the Bobcat brand.

The manual is divided into three main chapters: Basic Graphic Elements, Element Definitions and Gallery of Examples. These chapters show not only the basic usage of the Bobcat brand, but also its application within the dealership and its combination with other brands.

All the items described in the manual are available to order from our Bobcat fan shop website [bobcat-shop.com](https://bobcat-shop.com).

# Content of the Guideline

## USER GUIDE

### 01 Introduction

01.0 Introduction	3
01.1 Content	4
01.2 How to use this manual	6
01.3 Dealer Path Criteria: Facility Branding	8
01.4 Type of Dealerships	9
01.5 Structure of the Guideline	10
01.6 Page structure and orientation	12

## BOBCAT BRAND

### 02 Basic Graphic Elements 13

02.1 Bobcat trademark logo	14
02.2 The Bobcat trademark logo with tagline	16
02.3 The Bobcat trademark minimal clear space	17
02.4 Minimal dimensions of the Bobcat trademark	18
02.5 Incorrect use of the Bobcat trademark	19
02.6 Color Palette, primary and secondary colours' specifications	24
02.7 Correct and incorrect use of color for the Bobcat trademark	28
02.8 Correct use of the Bobcat logo with the tagline	29
02.9 Correct and incorrect usage of the Bobcat trademark on the various backgrounds	30
02.10 Standalone/Supplementary Bobcat graphic elements	32
02.11 Additional Bobcat services' trademarks – Protection Plus® & BobCARE	34
02.12 Print, web and everyday electronic typography	38

## APPLICATIONS

### 03 Exclusive Dealer Signage

EXTERIOR EXCLUSIVE ELEMENTS	
Overview of Exterior Elements (3D)	46
List of Exterior Exclusive Elements	49
03.1 Building signage	51
03.2 Vertical signage	58
03.3 Department signs	67
03.4 Banners	68
03.5 Window decals and other elements	70
Example gallery	73
INTERIOR EXCLUSIVE ELEMENTS	
Overview of Interior Elements (3D)	80
List of Interior Exclusive Elements	83
03.6 Interior brand signs	84
03.7 Department and direction signs	87
Example gallery	91

04 Multi Brand Dealer Signage

EXTERIOR MULTI BRAND ELEMENTS

Overview of Exterior Elements (3D)	98
List of Multi Brand Exterior Elements	101
04.1 Building signage	102
04.2 Vertical signage	109
04.3 Department signage	118
04.4 Banners	119
Example gallery	121

INTERIOR MULTI BRAND ELEMENTS

Overview of Interior Elements (3D)	126
List of Interior Multi Brand Elements	129
04.5 Interior brand signs	130
04.6 Department and direction signs	133
Example gallery	137

05 Common Elements

Overview of Common Elements (3D)	142
List of Common Elements	145
05.1 Point of sale	147
Example gallery	173
05.2 Office & Shop Furniture	179
Example gallery	185
05.3 Workshop furniture	187
Example gallery	173
05.4 Additional elements	193
Example gallery	207

SUMMARY

06 Summary of Signage

Full-list of signage and branded elements	212
---	-----

# How to use this manual

**01.3** BOBCAT DEALER BRAND GUIDELINE  
EXTERIOR SIGNAGE EXCLUSIVE

Dealer Path (D-Path) Criteria: Facility Branding

There are 3 levels of Dealer Path – Silver, Gold and Platinum. Please note that Gold standard includes also items from the Silver standard, Platinum contains Gold and Silver items as well.

Each item is described in the upcoming chapters for Exclusives, Dual Brand and Multibrand dealer types.

You can also find visualizations of signage elements in the Applications Gallery at the end of each chapter. Items required for each Dealer Path Standard level are marked in the table on this page.


**EXTERIOR BRANDING**

	SILVER	GOLD	PLATINUM
Exterior wall sign with Bobcat Logo	●	●	●
3+ Bobcat Branded Rugs or 4-meter Bobcat totem	●	●	●
Bobcat Door stickers on the main entrance door	●	●	●
Exterior Bobcat Departmental signage – Service, Parts, and etc.	—	●	●
Bobcat logo on the fence or gate of dealer premises	—	●	●
Branded service van	—	●	●
Exterior directional signs	—	●	●
Exclusively Bobcat branded service van	—	—	●

**INTERIOR BRANDING**

	SILVER	GOLD	PLATINUM
Counter – Bobcat and Dealer Logo	●	●	●
1+ Branded pencils or glass showcase	●	●	●
1+ Brochure holder	●	●	●
Interior Bobcat Departmental signage – Service, Parts, and etc.	—	●	●
Interior Bobcat logo or Bobcat banner in workshop area	—	●	●
Interior directional signs	—	—	●
Workshop furniture adhering to the Bobcat color scheme <sup>1</sup>	—	—	●
Dedicated branded area to present new Bobcat machines	—	—	●
Screen in the customer facing area presenting Bobcat Contents	—	—	●

1. Multi brand accepted with the principle of equal representation for all brands – Bobcat being must have at least the same size and visibility as other brands.  
2. Bobcat Color Palette is on page 10-12



**03** BOBCAT DEALER BRAND GUIDELINE  
EXTERIOR SIGNAGE EXCLUSIVE

List of Exterior Exclusive Elements

ELEMENT NAME	PAGE	ELEMENT NAME	PAGE
B1 3D Logo Sign – Bobcat	45	B14 Vertical Flag – Bobcat	58
L1 3D Logo Sign – Dealer	45	T14 Vertical Flag – One Tough Animal	58
B2 Box Type Sign Horizontal – Bobcat	46	L14 Horizontal Flag – Dealer	58
L2 Box Type Sign Horizontal – Dealer	46	B15 Horizontal Flag – Bobcat	59
B3 Flex Face Sign – Bobcat	47	T15 Horizontal Flag – One Tough Animal	59
L3 Flex Face Sign – Dealer	47	L15 Horizontal Flag – Dealer	59
B4 Debrand Sign – Bobcat	48	B16 Pole Sign	60
L4 Debrand Sign – Dealer	48	B17 Department Sign	61
B5 Console Mounted Box Type Sign Vertical – Bobcat	49	B18 Banner Sign – Bobcat	62
L5 Console Mounted Box Type Sign Vertical – Dealer	49	L18 Banner Sign – Dealer	62
B6 Entrance Sign (Flex Face) – Bobcat	50	B19 Mesh Sign – Bobcat	63
L6 Entrance Sign (Flex Face) – Dealer	50	L19 Mesh Sign – Dealer	63
B7 Entrance Sign (Debrand) – Bobcat	51	B20 Window Sticker – Bobcat	64
L7 Entrance Sign (Debrand) – Dealer	51	T20 Window Sticker – "One Tough Animal"	65
B8 Totem – non-illuminated	52	B21 Window Sticker – Strip	64
L8 Totem – illuminated	53	B22 Window Decal – Bobcat's head	65
B9 Totem – illuminated	53	B23 Window Decal – Scratches	65
B10 Directional Sign A	54	B24 Door Sticker – Push/Pull	66
B11 Directional Sign B	55	B25 Opening Hours Sign	66
B12 Directional Sign C	56		
B13 Directional Sign – Wall Mounted	57		

## STEP 1

### Read Bobcat Dealer Path (D-Path) Criteria

Please familiarize yourself with the Dealer Path requirements on page 8 to understand the specific criteria for each level (silver, gold and platinum).

Dealer Path (D-path) is Bobcat's dealer certification and scorecard program used to structurally evaluate dealer capabilities. It defines and communicates clear expectations to our partners, based on best practices and proven enablers for sustainable and profitable growth – including facility branding.

For more information, please contact your District Manager / Channel Development Team.

## STEP 2

### Select the appropriate type for your dealership


The range of available branding items depends heavily on the type and Dealer Path standard level of the dealership.

You will find available items in separate sections (see Contents) for exterior and interior elements.

## STEP 3


### Review the elements available in this guide for your dealership type

While exterior and interior signage differ for different types of dealerships, this manual also contains common items such as Bobcat branded Point of Sale elements, Furniture, and Custom items that are readily available for order by any type of dealership.

**STEP 4****Select the appropriate branding elements**

Application examples for branding elements can be found in the Gallery chapter of this manual, along with recommended items for each level of Bobcat dealership. Please use them as inspiration for the branding of your dealership.

Assistance with dealership branding can be provided by Bobcat – either in the design phase or with production.

**STEP 5****Order selected branding elements**

You can order branding elements via the Bobcat dealer e-shop ([bobcat-shop.com](https://bobcat-shop.com)) or contact your Bobcat representative for further assistance.




If you are interested in branding the exterior or interior of your dealership, service or workshops, then Graphic House company offers you a cooperation with project preparation, visualization and subsequent production of Bobcat signage and, if interested, the installation of the signage on your premises. Feel free to contact Graphic House at [bobcat-signage@graphic-house.cz](mailto:bobcat-signage@graphic-house.cz)

## Dealer Path (D-Path) Criteria: Facility Branding

There are 3 levels of Dealer Path – Silver, Gold and Platinum. Please note that the Gold standard also includes items from the Silver standard while the Platinum contains Gold and Silver items as well.

Each item is described in the following chapters for Exclusive and Multi Brand dealer types.

You can also find visualizations of signage elements in the Applications Gallery at the end of each chapter. Items required for each Dealer Path standard level are marked in the table on this page:

-  Silver level dealership (and higher)
-  Gold level dealership (and higher)
-  Platinum level dealership

		SILVER	GOLD	PLATINUM
EXTERIOR BRANDING	Exterior wall sign with Bobcat Logo	●	●	●
	3× Bobcat branded flags or 4-meter Bobcat totem	●	●	●
	Bobcat Door stickers on the main entrance door	●	●	●
	Bobcat entrance sign in the main entrance	—	●	●
	Exterior Bobcat departmental signage – Service, Parts, etc.	—	●	●
	Bobcat logo on the fence or gate of dealer premises	—	●	●
	Branded service van	—	●	●
	Exterior directional signs	—	—	●
	Exclusively Bobcat branded service van	—	—	●
INTERIOR BRANDING	Counter – Bobcat and dealer logo	●	●	●
	1× Branded gondola or glass showcase	●	●	●
	1× Brochure holder	●	●	●
	Interior Bobcat departmental signage – Service, Parts, etc.	—	●	●
	Interior Bobcat logo or Bobcat banner in workshop area	—	●	●
	Interior directional signs	—	—	●
	Workshop furniture adhering to the Bobcat color scheme <sup>2)</sup>	—	—	●
	Dedicated branded area to present new Bobcat machines	—	—	●
	Screen in the customer facing area presenting Bobcat Contents	—	—	●

1) Multi brand accepted based on the principle of equal representation for all brands – Bobcat livery must be of at least the same size and visibility as other brands

2) Bobcat Color Palette is on pages 24–27

## Dealers Facility Guidelines Division

**This guideline describes three kinds of dealerships – Bobcat Exclusive Dealer and Multi Brand Dealer.**

Please select the right type of dealership and look for features that are tailored to you. These specific elements can be supplemented with additional items that are universally available for all types of dealerships – see chapter 05 Common Elements.



### Exclusive Dealers

#### Chapter 03

This chapter describes solution for exterior and interior signage for Bobcat brand dealers.



### Multi Brand Dealers

#### Chapter 04

This chapter describes solution for exterior and interior signage for dealers of Bobcat and other brands.


# Structure of the Guideline

The main purpose of the Dealer Facility Guideline is to provide an overview of the elements available to help you promote the Bobcat brand.

The manual is divided into three main chapters: Basic Graphic Elements, Element Definitions and Gallery of Examples. These chapters show not only the basic usage of the Bobcat brand, but also its application within the dealership and its combination with other brands.

All the items described in the manual are available to order from our Bobcat fan shop website [bobcat-shop.com](https://bobcat-shop.com).

## How to Use the Guideline




The How to Use the Guideline chapter gives instructions on how to work with this guideline and how to proceed when choosing and ordering individual brand elements and equipment.

## Basic Graphic Elements



This chapter not only recaptures the well-known branding rules, but also extends the corporate color and font systems. All available elements, such as the logo and its variants, are marked with a link to a storage location where you can download source data for your own use.

## Type of Dealer Signage



These types of pages define individual groups of elements and their usage based on the type of dealer and the placement of these items.

Here you can find branding and signage items available to Bobcat exclusive dealers, and multi brand dealers.



Specific Element	Impact	Measurement	Improvement Strategy
Customer Satisfaction	High	Net Promoter Score (NPS)	Implement a customer feedback loop and address concerns promptly.
Employee Engagement	Medium	Employee Net Promoter Score (eNPS)	Offer professional development opportunities and foster a supportive work environment.
Operational Efficiency	Low	Process Cycle Time	Streamline workflows and eliminate bottlenecks.
Financial Performance	High	Profit Margin	Optimize resource allocation and reduce unnecessary expenses.
Market Share	Medium	Market Share Percentage	Implement targeted marketing campaigns and improve product offerings.

## Summary

# 03.1

EXTENSION

## EXTENSION

### 03.1

#### Debond Sign

AN INTERIOR DEBOND SIGN PRINTED ON A 3mm thick debond panel mounted with screws to a wall. The sign is available in a variety of colors to meet the requirements of the client. Available in a solution at an additional cost.

The design consists of two individual modules – debond sign and the supporting wallings. Standard dimension variants of individual modules are specified in our design book.

#### EXAMPLES OF THE SIGNAGE PROGRAM

Three examples of 'Debond Sign' modules are shown. Each module consists of a white rectangular panel with a red 'Bobsat' logo and a red 'DEALER NAME' label. The panels are mounted on a wall with screws. The first panel is shown in a close-up, the second in a medium shot, and the third in a wide shot.

#### 04.1 DEBOND SIGNING (20x15) - 10

1000x1500 - 1000x1500	1000x1500 - 1000x1500
1000x1500 - 1000x1500	1000x1500 - 1000x1500
1000x1500 - 1000x1500	1000x1500 - 1000x1500

#### 04.2 DEBOND SIGNING (20x15) - 10

1000x1500 - 1000x1500	1000x1500 - 1000x1500
1000x1500 - 1000x1500	1000x1500 - 1000x1500
1000x1500 - 1000x1500	1000x1500 - 1000x1500

These chapters define individual groups of elements and their usage based on the type of the dealer and the placement of these items.

This chapter shows examples for selected elements installed in an environment of Bobcat dealership.

Located at the end of the document is a list that contains all available elements along with their location on pages of the guideline as well as well as unique codes used to order the items from the Bobcat shop.

## Page Structure and Orientation

Chapter name specifying type of the branding element as well as the type of dealer the item is primarily designed for

Element ID and name

03.1 BOBCAT DEALER BRAND GUIDELINE  
EXTERIOR SIGNAGE EXCLUSIVE – BUILDING SIGNAGE

48

Description of the branding element, including specification of the material used and branding suitability

**B4**  
**L4** **Debond Sign**

An exterior Bobcat logo printed on a 3 mm thick Debond panel mounted with screws to a wall. This sign is available in a variety of sizes to meet the requirements of the site. Illumination is available at an additional cost.

The design consists of two individual modules – Bobcat logo and the Dealership name/logo. Standard dimension variants of individual modules are specified in the table below.

Dimensions of the branding element

Order code of the branding element for use at [www.bobcat-shop.com](http://www.bobcat-shop.com)

**B4: BOBCAT DEBOND SIGN (W × H)**

2000 × 750 mm	<b>B0D1B01A</b>
4000 × 1500 mm	<b>B0D1B01B</b>
Custom dimensions	<b>B0D1B01C</b>

**L4: DEALER DEBOND SIGN (W × H)**

2000 × 750 mm	<b>B0D1L01A</b>
4000 × 1500 mm	<b>B0D1L01B</b>
Custom dimensions	<b>B0D1L01C</b>

EXAMPLES OF THE SIGNAGE POSITIONS

Schematic representation of installation of the branding element

Elements accompanied with a Gallery icon are visualized in the Gallery chapter

Gallery

Horizontal layout

Vertical layout


The branding element visualization

BOBCAT BRAND

**02**

# Basic Graphic Elements

## The Bobcat Trademark Logo and Use of the ® Symbol



### The PRIMARY Bobcat Registered Trademark

The Bobcat registered trademark shown here is the primary visual element used to represent the brand. It consists of the Bobcat head icon and Bobcat logotype. It has been created with careful attention to proportions and spacing, and should not be altered in any way. For use on products, refer to the Product Branding document.

### What does the registered trademark symbol ® mean?

The ® (commonly referred to as the Circle R) symbol is a warning notice to advise the public that the mark is registered, and use of the ® symbol provides legal benefits. Use of the ® symbol with any unregistered trademark may result in claims of fraud. For more information on use of the ® symbol, see the International Trademark Association website: <http://www.inta.org>.

### Using the Registered Trademark ® Symbol

The ® symbol must always be used with the trademark (but the trademark can contain only one), especially on products, packaging and promotional media. The only exception for the ® symbol exclusion from the trademark are situations where the symbol would be illegible (smaller than 1 mm, e.g. pencils) or deformed (electronic use). If you think you have an exception, contact [communications.emea@doosan.com](mailto:communications.emea@doosan.com) for clarification. Approval is required.

## Acceptable Use and Electronic File Acquisition of the Trademark



- Relative dimensions and positioning of the Bobcat head icon combined with trademark symbol

### Acceptable Versions of the Registered Trademark

The Bobcat head icon positioned left of the logotype is the primary trademark. This is to be used whenever possible. The Bobcat head icon may not be positioned in any other relation to the logotype (i.e. to the right, above or below).

The Bobcat head trademark by itself may be used when the primary trademark is also shown on products, packaging and communication vehicles.

### Where to Access Electronic Bobcat Trademark Files

Always use the files supplied for the trademark to ensure that proper relationships of size, spacing, clarity and typography are maintained. General requirements for resolution are 72 dpi for web/screen and 300 dpi for print materials.

TIF, GIF, JPEG, EPS and WMF files for both trademark versions can be found on the Bobcat Mediahub at <https://mediahub.bobcat.eu/media/>. The latest version of this manual, and other brand identity templates and information, can be found in the [Style Guide subsection of the Mediahub](#).

For further assistance, please email [communications.emea@doosan.com](mailto:communications.emea@doosan.com)

## The Bobcat Trademark Logo with Tagline




### One Tough Animal

This positioning statement visualizes Bobcat equipment as being a unique entity in contrast to all other brands. It's like saying that a particular boxer is "one impressive fighter" or a thoroughbred is "one fine horse." It also implies that a bobcat is a "tough animal" and that, by association, so is the brand of equipment that bears the Bobcat name – there is no other brand like Bobcat when it comes to performance and value. In addition, the statement suggests that Bobcat equipment is durable and dependable because it is designed to handle the most challenging jobs.

Use of the "One Tough Animal" tagline should be limited to appropriate promotional communications. It is recommended to place "One Tough Animal" equal in length to the Bobcat typography in line with the lowercase b. Be sure to maintain the required clear space around the Bobcat logo.

## The Bobcat Trademark Minimal Clear Space



### Area of Minimum Clearance

The trademark must always be surrounded by a minimum amount of clear space, separating it from other elements, such as graphics, text, etc. This clear area preserves the legibility and visual impact of the trademark. The example shown is the MINIMUM amount of clear space. ADDITIONAL SPACE IS PREFERRED WHEN POSSIBLE.


## Minimal Dimensions of the Bobcat Trademark

Minimum dimensions of the Bobcat trademark are specified to maintain optimum readability of individual parts of the brand.

This page defines minimum width of available Bobcat trademark variants for press production as well as for an electronic use (96 DPI) while maintaining the readability of the smallest elements (the registered trademark symbol).

For use in smaller sizes and cases when the ® symbol would have to be omitted (e.g. cases when the symbol would render smaller than 1 mm) contact [communications.emea@doosan.com](mailto:communications.emea@doosan.com) for approval.

30 mm / 152 px @ 96 DPI



40 mm / 191 px @ 96 DPI



40 mm / 186 px @ 96 DPI



50 mm / 228 px @ 96 DPI





## Incorrect Use of the Bobcat Trademark



The Bobcat typography may not be used alone.



The Bobcat head trademark may not be moved in relation to the Bobcat typography.



The tagline must be equal in length to the Bobcat typography in line with the lowercase b.



The size of the Bobcat head trademark may not be changed in proportion to the Bobcat typography.



The Bobcat head trademark may not be “flipped” or “mirrored.”

## Incorrect Use of the Bobcat Trademark



Never use a substitute type style when portraying the Bobcat trademark. Never substitute a different type style for the Bobcat typography when trying to create the Bobcat trademark. Use only currently approved electronic trademark files supplied by Bobcat.



Stacking the Bobcat Trademark or Rotating Individual Elements The trademark may not be shown in any of the configurations on this page. To be certain the trademark is being used correctly, use only currently approved electronic trademark files supplied by Bobcat.

## Incorrect Use of the Bobcat Trademark




The Bobcat head trademark may not be “flipped” or “mirrored.”




The trademark may not be shown stretched beyond its normal proportions.



The trademark may not be rotated.



The trademark may not be used in multiples to create another shape. This applies to both acceptable versions of the trademark.



The trademark may not be used in multiples to create another border. This applies to both acceptable versions of the trademark.

## Incorrect Use of the Bobcat Trademark



The trademark may not be shown in outline form.



The trademark may not be shown in outline form.



The trademark may not be rendered with a metallic appearance.



The trademark may not be rendered with a pattern, texture or photograph.



The trademark may not include an external drop shadow.



The trademark may not include an internal drop shadow.

## Incorrect Use of the Bobcat Trademark



The trademark may not be shown placed over another object.



Another object and/or type may not be placed over/on the trademark or too near the trademark.



The trademark may not be shown as a "cutout" in another object.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue dui dolore te feugait nulla facilisi.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

The trademark may not be subdued with type placed over it.



## Color Palette

The color palette is divided into two groups, primary and secondary colors. Primary colors create a dominant combination typical for the Bobcat brand thanks to their unambiguity and strong contrast towards each other. Secondary colors complete the scope for primary colors and grade accents of selected parts of individual graphic elements.

### Primary Colors



Bobcat Orange




Black



White

### Secondary Colors



Tan




Charcoal Gray




Light Gray



Light Gray A



Light Gray B



Light Gray C

## Primary Color Specification

The primary colors for Bobcat packaging, signage and communication materials are “Bobcat Orange,” black and white. Consistent use of these colors will help reinforce the Bobcat brand identity. “Bobcat Orange” is most notably found on the tailgates of Bobcat equipment. When a color specification as shown below cannot be met, an attempt should be made to match the “Bobcat Orange” color as closely as possible.



### Bobcat Orange

#### PRINT MATERIALS

Pantone: 179C / 485U

CMYK: C0 / M90 / Y100 / K0

#### ELECTRONIC MEDIA

sRGB: R255 / G54 / B0

HEX: #FF3600

#### PAINT USED IN FACILITY BRANDING

Munsell (H V C): 9.7R 4.56/15.1

NCS: S0580Y80R

Benjamin Moore color preview:  
2013-10 OUTRAGEOUS ORANGE

RAL: 2002 VERMILION

Pressure-sensitive vinyl

First raw opaque: Avery A9160-O/Orange

Second raw transluents: 3M 3630-143 Poppy Red



### Black

#### PRINT MATERIALS

Pantone: –

CMYK: C30 / M0 / Y0 / K100

#### ELECTRONIC MEDIA

sRGB: R0 / G0 / B0

HEX: #000000

#### PAINT USED IN FACILITY BRANDING

Munsell (H V C): 10YR 2/05

NCS: S 8505-Y20R

Benjamin Moore color preview:  
2133-10 ONYX

RAL: 9005 JET BLACK

Pressure-sensitive vinyl

First raw opaque: 3M7725-12 Black

Second raw transluents: 3M 3630-22 Black



### White

#### PRINT MATERIALS

Pantone: –

CMYK: C0 / M0 / Y0 / K0

#### ELECTRONIC MEDIA

sRGB: R255 / G255 / B255

HEX: #FFFFFF

#### PAINT USED IN FACILITY BRANDING

Munsell (H V C): N10/

NCS: S 0502-Y


Benjamin Moore color preview:  
2132-70 MINERAL ICE

RAL: 9010 PURE WHITE

Pressure-sensitive vinyl: 3M 7725-10 White

## Secondary Color Specification

The secondary colors shown below (tan, charcoal gray and light gray) have been selected as complementary colors for packaging and communication materials only. They may be used in multi-color communication pieces where additional graphic elements are used. The Bobcat registered trademark is NOT to be reproduced using the secondary colors.



### Tan

#### PRINT MATERIALS

Pantone: 7528C / 7528U

CMYK: C0 / M3 / Y3 / K10

#### ELECTRONIC MEDIA

sRGB: R201 / G196 / B189

HEX: #C9C4BD

#### PAINT USED IN FACILITY BRANDING

Munsell (H V C): 7.5YR 8/1

NCS: S 1515-Y40R

Benjamin Moore color preview:  
2162-50 ARIZONA TAN

RAL: 7044 SILK GRAY (CLOSEST)

Pressure-sensitive vinyl

First raw opaque: 3M 7725-11 Pearl Gray

Second raw translucent: 3M 3630-149 Beige



### Charcoal Gray A

#### PRINT MATERIALS

Pantone: 432C / Pantone 7528 CU

CMYK: C23 / M2 / Y0 / K77

#### ELECTRONIC MEDIA

sRGB: R55 / G62 / B66

HEX: #373E42

#### PAINT USED IN FACILITY BRANDING

Munsell (H V C): 10B 3/1

NCS: S 8000-N

Benjamin Moore color preview:  
2124-10 WROUGHT IRON

RAL: 7026 GRANITE GRAY

Pressure-sensitive vinyl

First raw opaque: 180C-41 Dark Gray (solid)

Second raw translucent: 3M 3630-61 Slate Gray



### Charcoal Gray B

#### PRINT MATERIALS

Pantone: 430C / 430U

CMYK: C20 / M9 / Y10 / K45

#### ELECTRONIC MEDIA

sRGB: R140 / G147 / B150

HEX: #8C9396




# Secondary Color Specification




Light Gray A

PRINT MATERIALS
Pantone: 429C / 429U
CMYK: C20 / M11 / Y10 / K21
ELECTRONIC MEDIA
sRGB: R180 / G186 / B191
HEX: #B4BABF
PAINT USED IN FACILITY BRANDING
Munsell (H V C): 7.5B 7/1
NCS: S 3005-R80B
Benjamin Moore color preview: 2134-50 GULL WING GRAY
RAL: 7040 WINDOW GRAY
Pressure-sensitive vinyl
First raw opaque: 180C-31 Medium Gray (solid)
Second raw transluents: 3M 3630-51 Silver Gray



Light Gray B

PRINT MATERIALS
Pantone: 427C / 427U
CMYK: C3 / M0 / Y0 / K13
ELECTRONIC MEDIA
sRGB: R226 / G229 / B231
HEX: #E2E5E7



Light Gray C

PRINT MATERIALS
Pantone: Cool Gray 1C / Cool Gray 1U
CMYK: C0 / M0 / Y2 / K8
ELECTRONIC MEDIA
sRGB: R237 / G239 / B240
HEX: #EDEFF0

## Correct and Incorrect Use of Color for the Bobcat Trademark

### Correct Use of Color

The preferred color combinations for the Bobcat trademark are white on “Bobcat Orange” or black on white.

Third option that puts white logo on black background should be used only in specific cases (merchandising, facility branding, etc.).

In case of question, please contact [communication.emea@doosan.com](mailto:communication.emea@doosan.com) for approval.



## Correct Use of the Bobcat Logo with the Tagline




Color of tagline always must be the same as the color of the logo.

## Correct and Incorrect Usage of the Bobcat Trademark on the Grey Background

Maximum total area color coverage under the black Bobcat Trademark is 10%.


Minimum value for white variation of Bobcat Trademark is 96% of total area coverage.



## Correct and Incorrect Usage of Bobcat Trademark placed on Photos, Gradients and Coloured Areas

Maximum total area coverage of the colors under the black Bobcat Trademark is only 10% (as mentioned on previous page).

For higher values use white Trademark on “Bobcat Orange” background as shown here.



## Standalone/Supplementary Bobcat Graphic Elements




Negative variant of Bobcat Scratches

### Bobcat Scratches

In association with the “One Tough Animal” tagline, a supplementary element of Bobcat Scratches can be used to emphasize the strength of the brand and Bobcat products. Bobcat Scratches are recommended as a decorative element only to support the brand presence.

The primary color of the element is Bobcat orange against a white background. A negative (white) variant can be used where necessary. Be sure to never combine the Bobcat trademark with the scratches element and maintain the required clear space around the Bobcat logo.

## Standalone/Supplementary Bobcat Graphic Elements



Genuine Parts stamp



Negative variant of Genuine Parts stamp



Bobcat Track/Paws

### Another Elements

To emphasize the toughness of Bobcat machines, the character of the brand or to make a strong statement (for example with a signature or stamp), we have also created a few additional graphic elements. Although not official or registered, they may be used too in the condition that the visual/materials would not be over-branded. **Maximum of Bobcat graphic elements is two per visual (including the logo).**

## Additional Bobcat Services' Trademarks – Protection Plus® & BobCARE

### Protection Plus® Extended Warranty

is a customer tool that aids in managing risk exposure and controlling repair expenses

**BobCARE PM** is a service and maintenance care insurance.






## Minimum Clearance Area of the Protection Plus® and BobCARE trademarks



Clear space definition for Protection Plus® logo




Clear space definition for BobCARE logo

### Area of Minimum Clearance


Both trademarks must always be surrounded with a minimum amount of clear space, separating it from other elements, such as graphics, text, etc. This clear area preserves the legibility and visual impact of the trademark. The example shown is the MINIMUM amount of clear space. ADDITIONAL SPACE IS PREFERRED WHEN POSSIBLE.

## Position of the Protection Plus® and BobCARE trademarks

Protection Plus® and BobCARE trademarks can be placed in a common space in both, horizontal and vertical layouts. For combination of trademarks a minimum recommended distance must be observed.



Horizontal combination of Protection Plus® and BobCARE trademarks



## Minimal Dimensions of the Protection Plus® and BobCARE trademarks

Minimum width of the Protection Plus® Trademark is 140 px for electronic applications in 96 dpi resolution. For the same conditions the minimum width of the BobCARE trademark is 100 px.

Minimum width of the Protection Plus® Trademark is 30 mm for print applications in 300 dpi resolution. For the same conditions the minimum width of the BobCARE trademark is 25 mm.

The minimum dimensions are specified to maintain optimum readability of individual parts of the trademark.

minimum 140 px



Minimum dimensions for electronic application

minimum 100 px



minimum 30 mm



Minimum dimensions for print application

minimum 25 mm



## Print and Web Typography

The effectiveness of a visual identity system relies on maintaining standards for all typography with few type families used. The Helvetica typeface family is the primary font for all **corporate print communications, such as stationery, business cards and press releases.**

Helvetica is a neutral typeface that has great clarity and design detail. It was designed specifically not to give an impression or have any inherent meaning. And because of this, it is very adaptable to use for print communications. This typeface also supports the extended character sets needed to set copy in the Central and Western European languages as well as Greek and Cyrillic. Helvetica is available in a wide variety of widths and weights and offers flexibility in setting heading and subheading styles as required.

The Helvetica fonts is also selected for the use on the Bobcat website.

### Helvetica Neue LT Pro 45 Light

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789

---

### Helvetica Neue LT Pro 46 Light Italic

*ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789*

---

### Helvetica Neue LT Pro 55 Roman

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789

---

### Helvetica Neue LT Pro 56 Italic

*ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789*

## Print and Web Typography

Helvetica Neue LT Pro 75 Bold

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**0123456789**

---

Helvetica Neue LT Pro 76 Bold Italic

***ABCDEFGHIJKLMNOPQRSTUVWXYZ***  
***abcdefghijklmnopqrstuvwxyz***  
***0123456789***

---

Helvetica Neue LT Pro 85 Heavy

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**0123456789**

---

Helvetica Neue LT Pro 86 Heavy Italic

***ABCDEFGHIJKLMNOPQRSTUVWXYZ***  
***abcdefghijklmnopqrstuvwxyz***  
***0123456789***

## Print and Web Typography

Helvetica Neue LT Pro 47 Light Condensed

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

0123456789

---

Helvetica Neue LT Pro 47 Light Condensed Oblique

*ABCDEFGHIJKLMNOPQRSTUVWXYZ*

*abcdefghijklmnopqrstuvwxyz*

*0123456789*

---

Helvetica Neue LT Pro 57 Condensed

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

0123456789

---

Helvetica Neue LT Pro 57 Condensed Oblique

*ABCDEFGHIJKLMNOPQRSTUVWXYZ*

*abcdefghijklmnopqrstuvwxyz*

*0123456789*

## Print and Web Typography

Helvetica Neue LT Pro 77 Bold Condensed

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**0123456789**

---

Helvetica Neue LT Pro 77 Bold Condensed Oblique

***ABCDEFGHIJKLMNOPQRSTUVWXYZ***  
***abcdefghijklmnopqrstuvwxyz***  
***0123456789***

---

Helvetica Neue LT Pro 87 Heavy Condensed

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**0123456789**

---

Helvetica Neue LT Pro 87 Heavy Condensed Oblique

***ABCDEFGHIJKLMNOPQRSTUVWXYZ***  
***abcdefghijklmnopqrstuvwxyz***  
***0123456789***

## Electronic Typography for Daily Use

A number of alternative typefaces to Helvetica have been selected among those readily distributed in recent Windows operating systems, Microsoft Office products and part of the web core fonts. For electronic copy, Arial is the preferred font for body copy while Impact is used for headlines. Please note that these fonts should be used only for electronic materials such as Word processed documents, PowerPoint presentations and e-mails or for use on the web. They should not be used instead of Helvetica in corporate communications.

### Impact

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**0123456789**

### Arial Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789

### Arial Italic

*ABCDEFGHIJKLMNOPQRSTUVWXYZ*  
*abcdefghijklmnopqrstuvwxyz*  
*0123456789*

### Arial Bold

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**0123456789**

### Arial Bold Italic

***ABCDEFGHIJKLMNOPQRSTUVWXYZ***  
***abcdefghijklmnopqrstuvwxyz***  
***0123456789***



## Electronic Typography for Daily Use

### Arial Narrow

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789

---

### Arial Narrow Italic

*ABCDEFGHIJKLMNOPQRSTUVWXYZ*  
*abcdefghijklmnopqrstuvwxyz*  
*0123456789*

---

### Arial Narrow Bold

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**0123456789**

---

### Arial Narrow Bold Italic

***ABCDEFGHIJKLMNOPQRSTUVWXYZ***  
***abcdefghijklmnopqrstuvwxyz***  
***0123456789***



APPLICATIONS

**03**


# Exclusive Dealer Signage



# Exterior Exclusive Elements


## Overview of Exterior Elements (3D)

## FRONT VIEW




## Overview of Exterior Elements (3D) – Alternative Signage

### FRONT VIEW



## Overview of Exterior Elements (3D)

### REAR VIEW





## List of Exterior Exclusive Elements

ELEMENT NAME	PAGE
<b>B1</b> 3D Logo Sign – Bobcat	51
<b>L1</b> 3D Logo Sign – Dealer	51
<b>B2</b> Box Type Sign Horizontal – Bobcat	52
<b>L2</b> Box Type Sign Horizontal – Dealer	52
<b>B3</b> Flex Face Sign – Bobcat	53
<b>L3</b> Flex Face Sign – Dealer	53
<b>B4</b> Debond Sign – Bobcat	54
<b>L4</b> Debond Sign – Dealer	54
<b>B5</b> Console-Mounted Box Type Sign Vertical – Bobcat	55
<b>L5</b> Console-Mounted Box Type Sign Vertical – Dealer	55
<b>B6</b> Entrance Sign (Flex Face) – Bobcat	56
<b>L6</b> Entrance Sign (Flex Face) – Dealer	56
<b>B7</b> Entrance Sign (Debond) – Bobcat	57
<b>L7</b> Entrance Sign (Debond) – Dealer	57
<b>B8</b> Totem – non-illuminated	58
<b>B9</b> Totem – illuminated	59
<b>B10</b> Directional Sign A	60
<b>B11</b> Directional Sign B	61
<b>B12</b> Directional Sign C	62
<b>B13</b> Directional Sign – Wall-Mounted	63


ELEMENT NAME	PAGE
<b>B14</b> Vertical Flag – Bobcat	64
<b>T14</b> Vertical Flag – One Tough Animal	64
<b>L14</b> Vertical Flag – Dealer	64
<b>B15</b> Horizontal Flag – Bobcat	65
<b>T15</b> Horizontal Flag – One Tough Animal	65
<b>L15</b> Horizontal Flag – Dealer	65
<b>B16</b> Pole Sign	51
<b>B17</b> Department Sign	67
<b>B18</b> Bantex Sign – Bobcat	68
<b>L18</b> Bantex Sign – Dealer	68
<b>B19</b> Mesh Sign – Bobcat	69
<b>L19</b> Mesh Sign – Dealer	69
<b>B20</b> Window Sticker: Bobcat	70
<b>T20</b> Window Sticker: “One Tough Animal”	71
<b>B21</b> Window Sticker: Strip	70
<b>B22</b> Window Decal: Bobcat’s head	71
<b>B23</b> Window Decal: Scratches	71
<b>B24</b> Door Sticker: Push/Pull	72
<b>B25</b> Opening Hours Sign	72

## Bobcat Logo Sign Geometry Construction



An exterior Bobcat logo flex face PVC fabric sign. This has a powder-coated aluminum frame that matches the color of the Bobcat logo. This sign is available in a variety of sizes to meet the requirements of the site. Illumination is available at an additional cost.

Geometric construction defines the minimum distance between the Bobcat logo and the edges of the flex face sign.



## 3D Logo Sign

An exterior 3D Bobcat logo (black variant) in various sizes with optional illumination. The Bobcat module consists of individual components that are mounted separately. The minimum height of the Bobcat module is 550 mm.

The design consists of two individual modules – the Bobcat logo and the dealership name/logo. Dimension variants of individual modules are specified in the table below.

Full illumination is available for Bobcat modules longer than 3000 mm. Shorter modules can be illuminated with back lighting only, otherwise a box type sign must be used.

### B1: BOBCAT 3D LOGO SIGN (w × h)

2000 × 550 mm	<b>BOD1B05A</b>
Custom dimensions	<b>BOD1B05B</b>


### L1: DEALER 3D LOGO SIGN (w × h)

Height 550 mm	<b>BOD1L05A</b>
Custom dimensions	<b>BOD1L05B</b>

### EXAMPLES OF THE SIGNAGE POSITIONS AND TYPES OF ILLUMINATION



Gallery



Illuminated Bobcat 3D logo



Backlit variant of Bobcat 3D logo



B1: Bobcat 3D logo sign



L1: Dealer 3D logo sign

## B2 Box Type Sign – Horizontal

L2

An exterior Bobcat logo made of translucent foil on an illumination box. This sign is available in a variety of sizes to meet the requirements of the site.

The design consists of two individual modules – the Bobcat logo and the dealership name/logo. Standard dimension variants of individual modules are specified in the table below.

### B2: BOBCAT BOX TYPE SIGN (w × h)

2000 × 750 mm	<b>BOD1B03A</b>
4000 × 1500 mm	<b>BOD1B03B</b>
Custom dimensions	<b>BOD1B03C</b>

### L2: DEALER BOX TYPE SIGN (w × h)

2000 × 750 mm	<b>BOD1L03A</b>
4000 × 1500 mm	<b>BOD1L03B</b>
Custom dimensions	<b>BOD1L03C</b>

### EXAMPLES OF THE SIGNAGE POSITIONS




Gallery



Gallery



Illuminated box type signage



Horizontal layout

Vertical layout

## Flex Face Sign

An exterior Bobcat logo printed on a flex face sign mounted on an aluminum frame. This sign is available in a variety of sizes to meet the requirements of the site. Illumination is available at an additional cost.

The design consists of two individual modules – the Bobcat logo and the Dealership name/logo. Standard dimension variants of individual modules are specified in the table below.


### B3: BOBCAT FLEX FACE SIGN (w × h)

4000 × 1500 mm	<b>BOD1B02A</b>
Custom dimensions	<b>BOD1B02B</b>

### L3: DEALER FLEX FACE SIGN (w × h)

4000 × 1500 mm	<b>BOD1L02A</b>
Custom dimensions	<b>BOD1L02B</b>

### EXAMPLES OF THE SIGNAGE POSITIONS




Gallery



Gallery



Illuminated flex face type signage



Horizontal layout

Vertical layout

B4

## Debond Sign

L4

An exterior Bobcat logo printed on a 3 mm thick debond panel mounted with screws to a wall. This sign is available in a variety of sizes to meet the requirements of the site. Illumination is available at an additional cost.

The design consists of two individual modules – the Bobcat logo and the Dealership name/logo. Standard dimension variants of individual modules are specified in the table below.

### B4: BOBCAT DEBOND SIGN (w × h)

2000 × 750 mm	<b>BOD1B01A</b>
4000 × 1500 mm	<b>BOD1B01B</b>
Custom dimensions	<b>BOD1B01C</b>


### L4: DEALER DEBOND SIGN (w × h)

2000 × 750 mm	<b>BOD1L01A</b>
4000 × 1500 mm	<b>BOD1L01B</b>
Custom dimensions	<b>BOD1L01C</b>

### EXAMPLES OF THE SIGNAGE POSITIONS



 Gallery



Horizontal layout

Vertical layout

## Console-Mounted Box Type Sign Vertical

B5

L5

An exterior Bobcat logo made of translucent foil on an illumination box. This sign is recommended for sites with only limited space available.

The box sign can be mounted to a wall either directly (similar to Box Type Sign Horizontal) or using console supports.

Maximum width of this sign is 1000 mm.

The design consists of two individual modules – the Bobcat logo and the dealership name/logo. Dimension variants of individual modules are specified in the table below.

### B5: BOBCAT CONSOLE (w × h)

1000 × 1000 mm	<b>B0D1B04A</b>
Custom dimensions	<b>B0D1B04B</b>

### L5: DEALER CONSOLE (w × h)

1000 × 1000 mm	<b>B0D1L04A</b>
Custom dimensions	<b>B0D1L04C</b>



### EXAMPLES OF THE SIGNAGE POSITION



Gallery



Illuminated console-mounted vertical box type sign position



## B6 Entrance Sign (Flex Face)

L6

An exterior Bobcat logo printed on a flex face fabric on an aluminum frame. This sign is available in a variety of sizes to meet the requirements of the site.

The design consists of two individual modules – the Bobcat logo and the dealership name/logo. Dimension variants of individual modules are specified in the table below.

Use of an entrance sign depends heavily on the position of the main signage and the current situation on the premises should be taken into account to prevent too close a proximity of the two signage types.


### B6: BOBCAT ENTRANCE SIGN (FLEX FACE) (w × h)

4000 × 1500 mm	<b>BOD1B08A</b>
Custom dimensions	<b>BOD1B08B</b>


### L6: DEALER ENTRANCE SIGN (FLEX FACE) (w × h)

4000 × 1500 mm	<b>BOD1L08A</b>
Custom dimensions	<b>BOD1L08B</b>

### EXAMPLES OF THE SIGNAGE POSITIONS




Horizontal entrance sign on a building



Vertical entrance sign on a building



B6: Bobcat entrance sign (flex face)



L6: Dealer entrance sign (flex Face)

Horizontal entrance sign layout



Vertical entrance sign layout



## Entrance Sign (Debond)

An exterior Bobcat logo printed on a 3 mm thick debond panel. This sign is available in a variety of sizes to meet the requirements of the site.

The design consists of two individual modules – the Bobcat logo and the dealership name/logo. Dimension variants of individual modules are specified in the table below.

Use of an entrance sign depends heavily on the position of the main signage and the current situation on the premises should be taken into account to prevent too close a proximity of the two signage types.

### B7: BOBCAT ENTRANCE SIGN (DEBOND) (w × h)

2000 × 750 mm	<b>BOD1B09A</b>
4000 × 1500 mm	<b>BOD1B09B</b>
Custom dimensions	<b>BOD1B09C</b>


### L7: DEALER ENTRANCE SIGN (DEBOND) (w × h)

2000 × 750 mm	<b>BOD1L09A</b>
4000 × 1500 mm	<b>BOD1L09B</b>
Custom dimensions	<b>BOD1L09C</b>

### EXAMPLES OF THE SIGNAGE POSITIONS




Horizontal Entrance Sign on a building



Vertical Entrance Sign on a building



B7: Bobcat entrance sign (debond)




L7: Dealer entrance sign (debond)

Horizontal entrance sign layout



Vertical entrance sign layout



## B8 Totem

Exterior totem consisting of a metal frame, a debond plate and a printed foil with Bobcat branding attached to an opal (dim) plexiglass.


The totem serves as a site designation that is visible from a distance and under different light conditions.

The totem's construction is universal and allows for self-illumination by default. Economical option without the illumination is available too.

The price does not include any on-site installation preparation or installation itself.

**B8: TOTEM – NON-ILLUMINATED (w × h × d)**

1200 × 4000 × 185 mm

**B0D1B18A****EXAMPLE OF THE TOTEM POSITION**

## Totem – illuminated


B9

Example of the illuminated totem during the night. The totem is evenly illuminated thanks to a sufficient amount of light sources and the light dispersion properties of the opal plexiglass.


The price does not include any on-site installation preparation or installation itself.

**B9: TOTEM – ILLUMINATED (w × h × d)**

1200 × 4000 × 185 mm

**B0D1B18B****EXAMPLE OF THE ILLUMINATED TOTEM**

Example of illumination of totem made of bent plexiglass



Example of illumination of totem

## B10 Directional Sign A

Exterior variant of the totem consisting of a metal frame, a debond plate and a printed foil with Bobcat branding attached to an opal (dim) plexiglass. Intended as an orientation system within the premises.

The construction is universal and allows for self-illumination by default. An economical option without the illumination is also available.

The price does not include any on-site installation preparation or installation itself.

### B10: DIRECTIONAL SIGN A (w × h)

1200 × 4000 mm	non-illuminated	<b>B0D1B20B</b>
1200 × 4000 mm	illuminated	<b>B0D1B20D</b>

### EXAMPLE OF THE SIGNAGE POSITION



## Directional Sign B

B11

Exterior variant of the totem consisting of a metal frame, a debond plate and a printed foil with Bobcat branding attached to an opal (dim) plexiglass. Intended as an orientation system within the premises.



The construction is universal and allows for self-illumination by default. An economical option without the illumination is also available.

The price does not include any on-site installation preparation or installation itself.

### B11: DIRECTIONAL SIGN B (w × h)

1000 × 2750 mm	non-illuminated	<b>BOD1B21B</b>
1000 × 2750 mm	illuminated	<b>BOD1B21D</b>

### EXAMPLE OF THE SIGNAGE POSITION



## B12 Directional Sign C

Exterior variant of the totem consisting of a metal frame, a debond plate and a printed foil with Bobcat branding attached to an opal (dim) plexiglass. Intended as an orientation system within the premises.

The construction is universal and allows for self-illumination by default. An economical option without the illumination is also available.



The price does not include any on-site installation preparation or installation itself.

### B12: DIRECTIONAL SIGN C (w × h)

1000 × 2000 mm	non-illuminated	<b>B0D1B22B</b>
1000 × 2000 mm	illuminated	<b>B0D1B22D</b>
Custom height*	non-illuminated	<b>B0D1B22F</b>
Custom height*	illuminated	<b>B0D1B22H</b>

\*custom height up to 2 m

### EXAMPLE OF THE SIGNAGE POSITION



## Directional Sign – Wall-Mounted

B13

A wall-mounted directional sign printed on a 3 mm thick debond panel.

Dimensions can be customized (scaled proportionally) according to available space, with a minimum recommended width of 600 mm.

### B13: WALL-MOUNTED DIRECTIONAL SIGN (w × h)



1000 × 1000 mm **B0D1B19C**

Custom dimensions **B0D1B19D**

### EXAMPLE OF THE SIGNAGE POSITION



 Gallery



B14  
L14  
T14

## Vertical Flags

A Bobcat / “One Tough Animal” / Dealer branded fabric vertical flag, hung from a horizontal arm to ensure the logo is always visible.

The flag and pole components are sold separately.

### B14: BOBCAT VERTICAL FLAG (w × h)

800 × 2000 mm

BOD1B99A

### L14: DEALER VERTICAL FLAG (w × h)

800 × 2000 mm

MULTID1B99A

### T14: ONE TOUGH ANIMAL VERTICAL FLAG (w × h)

800 × 2000 mm


BOD1B99A

### EXAMPLE OF FLAG POSITIONS




Gallery

B14: Bobcat flag



T14: “One Tough Animal” flag





## Horizontal Flags

A Bobcat / “One Tough Animal” / Dealer branded fabric horizontal flag, hung from a horizontal arm to ensure the logo is always visible.

The flag and pole components are sold separately.

### B15: BOBCAT HORIZONTAL FLAG (w × h)

1250 × 500 mm

**BOD1B99B**

### L15: DEALER HORIZONTAL FLAG (w × h)

1250 × 500 mm

**MULTID1B99B**

### T15: ONE TOUGH ANIMAL HORIZONTAL FLAG (w × h)

1250 × 500 mm

**BOD1B99B**

### EXAMPLE OF FLAG POSITIONS



B15: Bobcat flag



T15: “One Tough Animal” flag



B15

L15

T15

**B16** Pole Sign

An exterior Bobcat logo in combination with the dealer name displayed on a pole above tree level. The sign is attached to a 15 m high metallic pole.

The standard is a two-face sign, but a triangular (three-face) option is also available.

**B16: LED BOX PANEL (w × h)**

8000 × 4560 mm (1 LED box)

**B0D1B23B**

**POLE SIGN CONSTRUCTION**

Height 15 m

**B0D1B23A**

**EXAMPLE OF THE POLE SIGN POSITION**

 Gallery



## Department Sign

An exterior department sign printed on a 3 mm debond panel for extended durability.


This sign is available in a variety of sizes to meet the requirements of the site and the department name.

The recommended height of the sign for labeling gates and large doors is 400 mm. For regular doors and limited-space areas, the department sign can be scaled down to 200 mm height.

### B17: DEPARTMENT SIGNS (w × h)

1450 × 400 mm	<b>B0D1B10A</b>
Custom dimensions	<b>B0D1B10B</b>
Parking sign (wall mount, 400 × 110 mm)	<b>B0D1B10C</b>
Parking sign (fence mount, 400 × 110 mm)	<b>B0D1B10D</b>

### EXAMPLE OF THE SIGNAGE POSITIONS



Gallery



B18  
L18

## Bantex Sign

Bantex banner signage is a less expensive and more flexible alternative to standard flex signs. The advantages include the flexibility of the fabric, which can be applied to various surfaces, as well as dimensional variability and long-term durability.

Bantex fabric is fixed in place using wire strands.

The design consists of two individual modules – the Bobcat logo and the dealership name/logo. Standard dimension variants of individual modules are specified in the table below.

### B18: BOBCAT BANTEX SIGN (w × h)

2000 × 750 mm	<b>BOD1B06A</b>
4000 × 1500 mm	<b>BOD1B06B</b>
Custom dimensions	<b>BOD1B06C</b>

### L18: DEALER BANTEX SIGN (w × h)

2000 × 750 mm	<b>BOD1L06A</b>
4000 × 1500 mm	<b>BOD1L06B</b>
Custom dimensions	<b>BOD1L06C</b>

### EXAMPLE OF THE SIGNAGE POSITION




Bantex sign  
on a fence

 Gallery




**B18:** Bobcat bantex sign



**L18:** Dealer bantex sign

Horizontal bantex sign



Vertical bantex sign

## Mesh Sign

Mesh banner signage is a less expensive and more flexible alternative to standard flex signs. The advantages include the flexibility of the fabric, which can be applied to various surfaces, as well as dimensional variability, low weight and long-term durability. The mesh sign can be mounted on an aluminum frame or using rubber straps.

The design consists of two individual modules – the Bobcat logo and the dealership logo. Standard dimension variants of individual modules are specified in the table.

### B19: MESH SIGN BOBCAT (W × H)

2000 × 750 mm	<b>BOD1B07A</b>
4000 × 1500 mm	<b>BOD1B07B</b>
Custom dimensions	<b>BOD1B07C</b>

### L19: MESH SIGN DEALER (W × H)

2000 × 750 mm	<b>BOD1L07A</b>
4000 × 1500 mm	<b>BOD1L07B</b>
Custom dimensions	<b>BOD1L07C</b>

### EXAMPLE OF THE SIGNAGE POSITION




Mesh sign  
on a fence



**B19:** Bobcat mesh sign

**L19:** Dealer mesh sign

Horizontal mesh sign



Vertical mesh sign

## B20 Windows decals and stickers A

B21

Monomeric PVC stickers for exterior use.

Stickers are coated with glossy lamination for extended color stability. Depending on weather conditions, the durability of these stickers can be up to three years.


### B20: BOBCAT WINDOW STICKER (w × h)

670 × 250 mm	<b>B0D1B11A</b>
Custom dimensions	<b>B0D1B11B</b>

### B21: WINDOW STICKER STRIP (w × h)

5000 × 150 mm	<b>B0D1B15A</b>
5000 × 75 mm	<b>B0D1B15B</b>
5000 × 48 mm	<b>B0D1B15C</b>
Custom dimensions	<b>B0D1B15D</b>

### EXAMPLE OF STICKERS POSITIONS


[Gallery](#)

### B20: Window sticker Bobcat



### B21: Window sticker strip



The window sticker strip is available in different heights:  
A) 150 mm, B) 75 mm and C) 48 mm

## Windows decals and stickers B

Monomeric PVC stickers for exterior use.

Stickers are coated with glossy lamination for extended color stability. Depending on weather conditions, the durability of these stickers can be up to three years.

### T20: ONE TOUGH ANIMAL WINDOW STICKER (w × h)

670 × 250 mm	<b>B0D1B12A</b>
Custom dimensions	<b>B0D1B12B</b>

### B22: WINDOW DECAL: BOBCAT'S HEAD (w × h)

580 × 600 mm	<b>B0D1B13A</b>
Custom dimensions	<b>B0D1B13B</b>

### B23: WINDOW DECAL: SCRATCHES (w × h)


580 × 600 mm	<b>B0D1B14A</b>
Custom dimensions	<b>B0D1B14B</b>

### EXAMPLE OF DECAL AND STICKER POSITIONS



Gallery

T20: Window sticker: "One Tough Animal"



B23: Window decal: Scratches

B22: Window decal: Bobcat's head

T20

B22

B23

## B24 Door decals and stickers

B25

The opening hours sign is made of 5 mm thick PVC panel.

Entrance door stickers are made of monomeric PVC. Stickers are coated with glossy lamination for extended color stability. Depending on weather conditions, the durability of these stickers can be up to three years.

### B24: DOOR DECALS PUSH/PULL (w × h)

100 × 35 mm **BOD1B16A**

### B25: OPENING HOURS SIGN (w × h)

230 × 310 mm **BOD1B17A**


### EXAMPLE OF THE SIGNAGE AND STICKER POSITIONS




 Gallery



B24: Sticker on an entrance door



B25: Opening hours sign





# Exterior Exclusive Elements

EXAMPLE GALLERY

## Exterior Signage Exclusive / Showroom Signage



Bobcat logo debond/flex face sign, entrance sign, wall-mounted directional sign, exterior department sign



Bobcat box type sign – horizontal



3D Bobcat logo




## Exterior Signage Exclusive / Entrance Signage, Box Type Signage, Wall-Mounted Directional Sign, Department Signage, Bantex/Mesh Sign



Entrance sign, Wall-mounted directional sign, department sign




Box sign – vertical, wall-mounted



Box sign – vertical, wall-mounted, illuminated



Box sign – vertical, console-mounted



Box sign – vertical, console-mounted, illuminated




Bantex/mesh sign – application example


## Exterior Signage Exclusive / Window Decals, Wall-Mounted Directional Sign, Department Sign



Window and door decals




Direction sign – vertical, wall-mounted



Department sign



Entrance sign – horizontal, opening hours



Entrance sign – vertical



# Exterior Signage Exclusive / Totem, Directional Signs




Totem



Illuminated totem



Direction sign C



Direction sign B

## Exterior Signage Exclusive / Flags, Pole Sign



Flags



Pole sign

# Interior Exclusive Elements

## Overview of Interior Elements (3D)

### SALES AND RECEPTION VIEW

For the complete list of available common elements (such as posters, banners, leaflet holders, digital kiosks, etc.) please refer to chapter Common Elements on page 141.





## Overview of Interior Elements (3D)

### OFFICES AND MEETING ROOM



## Overview of Interior Elements (3D)

### WORKSHOP AND STORAGE VIEW



## List of Interior Exclusive Elements

ELEMENT NAME	PAGE
<b>B27</b> Reception desk – Wall Panel	84
<b>B28</b> Reception Desk	84
<b>B29</b> Interior Bobcat Logo 3D	85
<b>B30</b> Display – Bobcat	86
<b>B31</b> Directional Sign – Wall-Mounted	87
<b>B32</b> Department Sign	88
<b>B33</b> Room Nameplates	89

## B28 Reception Desk

The wall behind the reception desk consists of a 3 mm PVC plate with a Bobcat logo and a dealership name printed directly on. It is installed on a clean and flat base using double-sided adhesive tape.

### B27: RECEPTION DESK WALL (w × h)

800 × 2750 mm

BOD2B01A

### B28: RECEPTION DESK – COUNTER (BLUEPRINT, w × h × d)

1800 × 900 (1100) × 700 mm

BOD4B01A

Available as a blueprint for local production only

### EXAMPLE OF THE SIGNAGE POSITION


[Gallery](#)


B27: Reception wall

B28: Reception desk – counter

# Interior Bobcat Logo 3D

B29

An interior 3D Bobcat logo (black variant) in a variety of sizes made of individual PVC letters and a Bobcat head.

B29: INTERIOR 3D LOGO BOBCAT (w × h)	
2000 × 550 mm	B0D2B13A
Custom dimensions	B0D2B13B

## EXAMPLES OF THE SIGNAGE POSITION



 Gallery



## B30 Display

Double-sided litho-laminated display hanging on silicone strands used to designate any relevant part of the premises.

**B30: DISPLAY BOBCAT (w × h)**

1500 × 960 mm	<b>B0D2B11A</b>
---------------	-----------------

980 × 625 mm	<b>B0D2B11B</b>
--------------	-----------------

**EXAMPLE OF THE SIGNAGE POSITION**

 Gallery



## Directional Sign – Wall-Mounted

B31

The interior directional sign is made of 5 mm PVC plate mounted on a clean and flat base using double-sided adhesive tape. The content itself is a cut-out graphic made of two colored films.



Dimensions can be customized (scaled proportionally) according to available space, with a minimum recommended width of 600 mm.

### EXAMPLE OF THE SIGNAGE POSITION



#### B31: WALL-MOUNTED DIRECTIONAL SIGN (w × h)

1000 × 1000 mm	<b>B0D2B04B</b>
Custom dimensions	<b>B0D2B04D</b>




## B32 Department Sign

The interior department sign is printed on a 5 mm thick PVC panel or debond panel for better durability. This sign is available in a variety of sizes to meet the requirements of the site.

### B32: DEPARTMENT SIGNS (w × h)

1100 × 300 mm (PVC)	<b>B0D2B05A</b>
Custom dimensions (PVC)	<b>B0D2B05B</b>
1100 × 300 mm (debond)	<b>B0D2B05C</b>
Custom dimensions (debond)	<b>B0D2B05D</b>

### EXAMPLE OF THE SIGNAGE POSITION



 Gallery





Room Nameplates



B33

Room nameplates made of 5 mm thick PVC panel mounted on a clean and flat wall next to doors. The content itself is digitally printed onto the panel.

B33: ROOM NAMEPLATE (w x h)

210 x 294 mm B0D2B06B

EXAMPLE OF THE SIGNAGE POSITION





# Interior Exclusive Elements

EXAMPLE GALLERY

## Interior Signage Exclusive / Reception, Department Sign, Beach Flag, Screen Surround



Adjusted existing desk counter, interior department sign, screen surround, beach flag



Room nameplates



Interior directional sign and department sign

# Interior Signage Exclusive / Reception



Reception desk/counter, Bobcat branded wall behind reception desk

## Interior Signage Exclusive / Display



Shelf flag B, display

APPLICATIONS

# 04 Multi Brand Dealer Signage





# Exterior Multi Brand Elements

## Overview of Exterior Elements (3D)

## FRONT VIEW – MULTI BRAND




## Overview of Exterior Elements (3D)

### FRONT VIEW (ALTERNATIVE SIGNAGE) – MULTI BRAND



## Overview of Exterior Elements (3D)

### REAR VIEW – MULTI BRAND



## List of Multi Brand Exterior Elements

ELEMENT NAME	PAGE
<b>B1</b> 3D Logo Sign – Bobcat	102
<b>L1</b> 3D Logo Sign – Dealer	102
<b>M1</b> 3D Logo Sign – Other	102
<b>B2</b> Box Type Sign Horizontal – Bobcat	103
<b>L2</b> Box Type Sign Horizontal – Dealer	103
<b>M2</b> Box Type Sign Horizontal – Other	103
<b>B3</b> Flex Face Sign – Bobcat	104
<b>L3</b> Flex Face Sign – Dealer	104
<b>M3</b> Flex Face Sign – Other	104
<b>B4</b> Debond Sign – Bobcat	105
<b>L4</b> Debond Sign – Dealer	105
<b>M4</b> Debond Sign – Other	105
<b>M5</b> Console-Mounted Box Type Sign Vertical – Multi Brand	106
<b>L5</b> Console-Mounted Box Type Sign Vertical – Dealer	106
<b>M6</b> Entrance Sign (Flex Face) – Multi Brand	107
<b>M7</b> Entrance Sign (Debond) – Multi Brand	108
<b>M8</b> Totem – non-illuminated	109
<b>M9</b> Totem – illuminated	110
<b>M10</b> Directional Sign A	111
<b>M11</b> Directional Sign B	112
<b>M12</b> Directional Sign C	113

ELEMENT NAME	PAGE
<b>M13</b> Directional Sign – Wall Mounted	114
<b>B14</b> Vertical Flag – Bobcat	115
<b>L14</b> Vertical Flag – Dealer	115
<b>M14</b> Vertical Flag – Other	115
<b>B15</b> Horizontal Flag – Bobcat	116
<b>L15</b> Horizontal Flag – Dealer	116
<b>M15</b> Horizontal Flag – Other	116
<b>M16</b> Pole Sign	117
<b>M17</b> Department Sign	118
<b>B18</b> Bantex Sign – Bobcat	119
<b>L18</b> Bantex Sign – Dealer	119
<b>M18</b> Bantex Sign – Other	119
<b>B19</b> Mesh Sign – Bobcat	120
<b>L19</b> Mesh Sign – Dealer	120
<b>M19</b> Mesh Sign – Other	120



B1

L1

M1

## 3D Logo Sign

An illuminated exterior 3D logo of Bobcat and other brands incl. the dealer in a variety of sizes. The basic color for all modules is black.

The order of brands on the multi brand signage is the dealer name, Bobcat, followed by other brands while respecting the defined positions and size ratios among individual logos. The minimum height of the Bobcat module is at least 550 mm.

Full illumination is available if the Bobcat module is longer than 3000 mm. If shorter, then backlighting or a box type sign must be used.

### L1: DEALER 3D LOGO SIGN (w × h)

2000 × 550 mm	<b>BOD1L05A</b>
Custom dimensions	<b>BOD1L05B</b>

### B1: BOBCAT 3D LOGO SIGN (w × h)

Height 550 mm	<b>BOD1B05A</b>
Custom dimensions	<b>BOD1B05B</b>


### M1: GENERAL 3D LOGO SIGN (w × h)

Height 550 mm	<b>BOD1M05A</b>
Custom dimensions	<b>BOD1M05B</b>

### EXAMPLES OF THE SIGNAGE POSITIONS AND TYPES OF ILLUMINATION




Gallery



Illuminated Bobcat 3D logo



Backlit variant of Bobcat 3D logo



## Box Type Sign – Horizontal

An exterior logo made of translucent foil on an illumination box. The sign is available in a variety of sizes to meet the requirements of the site.

The order of brands on the multi brand signage is the dealer name, Bobcat, followed by other brands while respecting the defined positions and size ratios among individual logos/modules.

### B2: BOBCAT BOX TYPE SIGN (w × h)

2000 × 750 mm	<b>BOD1B03A</b>
4000 × 1500 mm	<b>BOD1B03B</b>
Custom dimensions	<b>BOD1B03C</b>

### L2: DEALER BOX TYPE SIGN (w × h)

2000 × 750 mm	<b>BOD1L03A</b>
4000 × 1500 mm	<b>BOD1L03B</b>
Custom dimensions	<b>BOD1L03C</b>

### M2: GENERAL BOX TYPE SIGN (w × h)

2000 × 750 mm	<b>BOD1M03A</b>
4000 × 1500 mm	<b>BOD1M03B</b>
Custom dimensions	<b>BOD1M03C</b>


### EXAMPLES OF THE SIGNAGE POSITIONS




Gallery



Illuminated box type signage



Horizontal layout



Alternative horizontal layout

B2

L2

M2

B3

L3

M3

## Flex Face Sign

An exterior Bobcat logo accompanied by other brands' and the dealer's logo printed on a flex face sign mounted on a frame. This sign is available in a variety of sizes to meet the requirements of the site. Illumination is available at an additional cost.

The order of brands on the multi brand signage is the dealer name, Bobcat, followed by other brands while respecting the defined positions and size ratios among individual logos/modules.

### B3: BOBCAT FLEX FACE SIGN (w × h)

4000 × 1500 mm	<b>BOD1B02A</b>
Custom dimensions	<b>BOD1B02B</b>

### L3: DEALER FLEX FACE SIGN (w × h)

4000 × 1500 mm	<b>BOD1L02A</b>
Custom dimensions	<b>BOD1L02B</b>

### M3: GENERAL LOGO FLEX FACE SIGN (w × h)

4000 × 1500 mm	<b>BOD1M01A</b>
Custom dimensions	<b>BOD1M01B</b>



### EXAMPLES OF THE SIGNAGE POSITIONS



Gallery



Illuminated flex face type signage





## Debond Sign

An exterior Bobcat logo accompanied by other brands and dealer's logo printed on a 3 mm debond panel. This sign is available in a variety of sizes to meet the requirements of the site.

The order of brands on the signage is the dealer name, Bobcat, followed by other brands while respecting the defined positions and size ratios among individual logos/modules.

### B4: BOBCAT MODULE (w × h)

2000 × 750 mm	<b>BOD1B01A</b>
4000 × 1500 mm	<b>BOD1B01B</b>
Custom dimensions	<b>BOD1B01C</b>

### L4: DEALER MODULE (w × h)

2000 × 750 mm	<b>BOD1L01A</b>
4000 × 1500 mm	<b>BOD1L01B</b>
Custom dimensions	<b>BOD1L01C</b>



### M4: GENERAL LOGO MODULE – DEBOND (w × h)

2000 × 750 mm	<b>BOD1M02A</b>
4000 × 1500 mm	<b>BOD1M02B</b>
Custom dimensions	<b>BOD1M02C</b>

### EXAMPLES OF THE SIGNAGE POSITIONS



Gallery



B4

L4

M4

L5

M5

## Console-Mounted Box Type Sign Vertical

An exterior box type sign made of translucent foil on an illumination box. This sign is recommended for sites with only limited space available. The box sign can be mounted onto a wall either directly or using console supports.

The order of brands on the multibrand signage is the Dealer name, Bobcat, followed by other brands while respecting defined positions and size ratios among individual logos.

The maximum width of this sign is 1 m.

### L5: DEALER CONSOLE (w × h)

1000 × 1000 mm	<b>BOD1L04A</b>
Custom dimensions	<b>BOD1L04C</b>

### M5: MULTI BRAND CONSOLE (w × h)

1000 × 1000 mm	<b>BOD1M04A</b>
Custom dimensions	<b>BOD1M04B</b>



### EXAMPLES OF THE SIGNAGE POSITION



 Gallery



Illuminated console-mounted vertical box type sign position



## Entrance Sign (Flex Face)

M6


An exterior Bobcat logo printed on a flex face fabric and mounted on a frame. This sign is available in a variety of sizes to meet the requirements of the site.

Use of an entrance sign depends heavily on the position of the main signage and the current situation on the premises should be taken into account to prevent too close a proximity of the two signage types.


### M6: MULTI BRAND ENTRANCE SIGN – FLEX FACE (w × h)

4000 × 1500 mm	<b>BOD1M08A</b>
Custom dimensions	<b>BOD1M08B</b>


### EXAMPLES OF THE SIGNAGE POSITIONS



Horizontal entrance sign  
on a building



M6: Horizontal entrance sign



Alternative horizontal layout

## M7 Entrance Sign (Debond)


An exterior Bobcat logo printed on a 3 mm thick debond panel. This sign is available in a variety of sizes to meet the requirements of the site.

Use of an entrance sign depends heavily on the position of the main signage and the current situation on the premises should be taken into account to prevent too close a proximity of the two signage types.


### M7: MULTI BRAND ENTRANCE SIGN – DEBOND (w × h)

2000 × 750 mm	<b>BOD1M09A</b>
4000 × 1500 mm	<b>BOD1M09B</b>
Custom dimensions	<b>BOD1M09C</b>


### EXAMPLES OF THE SIGNAGE POSITIONS




Horizontal entrance sign on a building




Vertical entrance sign on a building



Horizontal entrance sign



Alternative horizontal layout



Vertical entrance sign

## Totem

M8


An exterior totem consisting of a metal frame, a dibond plate and a printed foil with dealer branding in combination with the brands sold (incl. Bobcat) attached to an opal (dim) plexiglass.

The totem serves as a site designation that is visible from a distance and under different light conditions.

The totem's construction is universal and allows for self-illumination by default. An economical option without the illumination is also available.

The price does not include any on-site installation preparation or installation itself.

### EXAMPLE OF THE TOTEM POSITION



#### M8: TOTEM DIMENSIONS (w x h x d)

1200 x 4000 x 185 mm

**BOD1M18A**


**M9 Totem – Illuminated**

Example of the illuminated totem during the night. The totem is evenly illuminated thanks to a sufficient amount of light sources and the light dispersion properties of the opal plexiglass.

The price does not include any on-site installation preparation or installation itself.

**M9: TOTEM DIMENSIONS (w × h × d)**

1200 × 4000 × 185 mm

**B0D1M18B****EXAMPLE OF THE ILLUMINATED TOTEM**

## Directional Sign A

M10

Exterior variant of totem consisting of a metal frame, a debond plate and a printed foil with the dealership branding and logos of the brands sold attached to an opal (dim) plexiglass.

Intended as an orientation system within the premises.



The construction is universal and allows for self-illumination by default. An economical option without the illumination is also available.

The price does not include any on-site installation preparation or installation itself.

### M10: DIRECTIONAL SIGN A DIMENSIONS (w × h)

1200 × 4000 mm	non-illuminated	<b>B0D1M20B</b>
1200 × 4000 mm	illuminated	<b>B0D1M20D</b>

### EXAMPLE OF THE SIGNAGE POSITION



## M11 Directional Sign B

Exterior variant of totem consisting of a metal frame, a debond plate and a printed foil with the dealership branding and logos of the brands sold attached to an opal (dim) plexiglass.

Intended as an orientation system within the premises.


The construction is universal and allows for self-illumination by default. An economical option without the illumination is also available.

The price does not include any on-site installation preparation or installation itself.

### M11: DIRECTIONAL SIGN B DIMENSIONS (w × h)

1000 × 3120 mm	non-illuminated	<b>BOD1M21B</b>
1000 × 3120 mm	illuminated	<b>BOD1M21D</b>

### EXAMPLE OF THE SIGNAGE POSITION





## Directional Sign C

M12

Exterior variant of totem consisting of a metal frame, a debond plate and a printed foil with logos of the brands sold attached to an opal (dim) plexiglass.

Intended as an orientation system within the premises.

The construction is universal and allows for self-illumination by default. An economical option without the illumination is also available.



The price does not include any on-site installation preparation or installation itself.

### M12: DIRECTIONAL SIGN C DIMENSIONS (w × h)

1000 × 2000 mm	non-illuminated	<b>BOD1M22B</b>
1000 × 2000 mm	illuminated	<b>BOD1M22D</b>
Custom height*	non-illuminated	<b>BOD1M22F</b>
Custom height*	illuminated	<b>BOD1M22H</b>

\*custom height up to 2 m

### EXAMPLE OF THE SIGNAGE POSITION



## M13 Directional Sign – Wall-Mounted

A wall-mounted directional sign printed on a 3mm thick debond panel.

Dimensions can be customized (scaled proportionally) according to available space with minimum recommended width of 600 mm.




### M13: WALL-MOUNTED DIRECTIONAL SIGN DIMENSIONS (w × h)

1000 × 1150 mm	<b>BOD1M19C</b>
Custom dimensions	<b>BOD1M19B</b>

### EXAMPLE OF THE SIGNAGE POSITION



 Gallery



# Vertical Flags

A Bobcat/Dealer or generally branded fabric vertical flag, hung from a horizontal arm to ensure the logo is always visible.

The flag and pole components are sold separately.

B14: BOBCAT VERTICAL FLAG (w × h)

800 × 2000 mm

BOD1B99A

L14: DEALER VERTICAL FLAG (w × h)

800 × 2000 mm

MULTID1B99A

M14: GENERAL LOGO VERTICAL FLAG (w × h)

800 × 2000 mm

MULTIOTHERBOD1B99A

## EXAMPLE OF FLAG POSITIONS



 Gallery

L14: Dealer flag



B14: Bobcat flag



M14: Other brand flag



M14: Other brand flag



B15

L15

M15

## Horizontal Flags

A Bobcat/Dealer or generally branded fabric vertical flag, hung from a horizontal arm to ensure the logo is always visible.

The flag and pole components are sold separately.

**B15: BOBCAT HORIZONTAL FLAG (w × h)**

1250 × 500 mm

**BOD1B99B****L15: DEALER HORIZONTAL FLAG (w × h)**

1250 × 500 mm

**MULTID1B99B****M15: GENERAL LOGO HORIZONTAL FLAG (w × h)**

1250 × 500 mm

**MULTIOTHERBOD1B99B****EXAMPLE OF FLAG POSITIONS****DEALER  
NAME****L15:** Dealer flag**B15:** Bobcat flag**LOGO****M14:** Other brand flag**LOGO****M14:** Other brand flag

# Pole Sign

M16

An exterior Bobcat logo in combination with the dealer name displayed on a pole above tree level. The sign is attached to a 15 m high metallic pole.


The standard is a two-face sign, but a triangular (three-face) option is also available.

M16: LED BOX PANEL (w × h)		
8000 × 4560 mm (1 LED box)		B0D1B23B
POLE SIGN CONSTRUCTION		
Height 15 m		B0D1B23A

EXAMPLE OF THE POLE SIGN POSITION



Gallery




## M17 Department Sign

An exterior department sign printed on a 3 mm debond panel for extended durability. This sign is available in a variety of sizes to meet the requirements of the site and the department name.

### M17: DEPARTMENT SIGN (w × h)

1450 × 400 mm	<b>BOD1M10A</b>
Custom dimensions	<b>BOD1M10B</b>
Parking sign (wall mount, 400 × 110 mm)	<b>BOD1M10C</b>
Parking sign (fence mount, 400 × 110 mm)	<b>BOD1M10D</b>

### EXAMPLE OF THE SIGNAGE POSITIONS



 Gallery



## Bantex Sign

The bantex banner is a less expensive and more flexible alternative to standard flex signs. Other advantages include the durability of the material and the wide variety of available dimensions. Bantex fabric is usually fixed in place using wire strands. The design consists of multiple individual modules for each brand. Dimensions are specified in the table below.

### B18: BOBCAT BANTEX SIGN (w × h)

2000 × 750 mm	<b>BOD1B06A</b>
4000 × 1500 mm	<b>BOD1B06B</b>
Custom dimensions	<b>BOD1B06C</b>

### L18: DEALER BANTEX SIGN (w × h)

2000 × 750 mm	<b>BOD1L06A</b>
4000 × 1500 mm	<b>BOD1L06B</b>
Custom dimensions	<b>BOD1L06C</b>


### M18: MULTI BRAND BANTEX SIGN (w × h)

2000 × 750 mm	<b>BOD1M06A</b>
4000 × 1500 mm	<b>BOD1M06B</b>
Custom dimensions	<b>BOD1M06C</b>

### EXAMPLE OF THE SIGNAGE POSITION



Bantex sign  
on a fence



B19

L19

M19

## Mesh Sign

The mesh banner is a less expensive and more flexible alternative to standard flex signs. Other advantages include the durability of the material and the wide variety of available dimensions. Mesh fabric can be fixed with rubber straps or on an aluminum frame. The design consists of multiple individual modules for each brand.

### B19: BOBCAT MESH SIGN (w × h)

2000 × 750 mm	<b>BOD1B06A</b>
4000 × 1500 mm	<b>BOD1B06B</b>
Custom dimensions	<b>BOD1B06C</b>

### L19: DEALER MESH SIGN (w × h)

2000 × 750 mm	<b>BOD1L06A</b>
4000 × 1500 mm	<b>BOD1L06B</b>
Custom dimensions	<b>BOD1L06C</b>


### M19: MULTI BRAND MODULE – MESH SIGN (w × h)

2000 × 750 mm	<b>BOD1M07A</b>
4000 × 1500 mm	<b>BOD1M07B</b>
Custom dimensions	<b>BOD1M07C</b>

### EXAMPLE OF THE SIGNAGE POSITION



Mesh sign  
on a fence







# Exterior Multi Brand Elements

EXAMPLE GALLERY

## Exterior Signage Multi Brand / Totem, Directional Signs



Totem



Illuminated totem



Direction sign C



Direction sign B

## Exterior Signage Multi Brand / Pole sign



Pole sign



# Interior Multi Brand Elements

## Overview of Interior Elements (3D)

### SALES AND RECEPTION VIEW – MULTI BRAND

For the complete list of available common elements (such as posters, banners, leaflet holders, digital kiosks, etc.) please refer to chapter Common Elements on page 141.





## Overview of Interior Elements (3D)

### OFFICES AND MEETING ROOM – MULTI BRAND



## Overview of Interior Elements (3D)

### WORKSHOP AND STORAGE VIEW





## List of Interior Multi Brand Elements

ELEMENT NAME	PAGE
<b>M27</b> Reception Desk – Wall Panel	130
<b>M28</b> Reception Desk	130
<b>B29</b> Interior Logo 3D – Bobcat	131
<b>M29</b> Interior Logo 3D – Other	131
<b>B30</b> Display Bobcat	132
<b>M30</b> Display Other	132
<b>M31</b> Directional Sign	133
<b>M32</b> Department Sign	134
<b>M33</b> Room Nameplates	135

## M28

## Reception Desk

The wall behind the reception desk consists of a 3 mm PVC plate with a Bobcat logo and a dealership name printed directly on. It is installed on a clean and flat base using double-sided adhesive tape.

**M27: RECEPTION DESK WALL (w × h)**

800 × 2750 mm

**B0D2D01A****M28: RECEPTION DESK – COUNTER (BLUEPRINT, w × h × d)**


1800 × 900 (1100) × 700 mm

**B0D4D01A**

Available as a blueprint for local production only

**EXAMPLE OF THE SIGNAGE POSITION**

Gallery



# Interior 3D Logo


An interior 3D Bobcat logo (black variant) in a variety of sizes made of individual PVC letters and a Bobcat head.

Dimension variants of individual modules are specified in the table below.

B29: INTERIOR 3D LOGO BOBCAT (w × h)	
2000 × 550 mm	B0D2B13A
Custom dimensions	B0D2B13B

M29: INTERIOR 3D LOGO OTHER (w × h)	
Custom × 550 mm	B0D2M13A
Custom dimensions	B0D2M13B

## EXAMPLES OF THE SIGNAGE POSITION



Gallery



B29: Interior 3D logo – Bobcat



M29: Interior 3D logo – Other

B30  
M30

## Display

Double-sided litho-laminated display hanging on silicone strands used to designate any relevant part of the premises.

Dimension variants of individual modules are specified in the table below.

**B30: DISPLAY BOBCAT (w × h)**

1500 × 960 mm	<b>B0D2B11A</b>
980 × 625 mm	<b>B0D2B11B</b>

**M30: DISPLAY OTHER (w × h)**

1500 × 960 mm	<b>B0D2M11A</b>
980 × 625 mm	<b>B0D2M11B</b>

**EXAMPLE OF THE SIGNAGE POSITION**
 Gallery

**B30:** Display  
– Bobcat



**M30:** Display  
– Other



**M30:** Display  
– Other



## Directional Sign – Wall-Mounted

M31

The interior directional sign is made of 5 mm PVC plate mounted on a clean and flat base using double-sided adhesive tape. The content itself is a cut-out graphic made of multiple colored films.



Dimensions can be customized (scaled proportionally) according to available space with minimum recommended width of 600 mm.

### EXAMPLE OF THE SIGNAGE POSITION



#### M31: DIRECTIONAL SIGN – WALL-MOUNTED (w × h)

1000 × 1000 mm	<b>B0D2D04B</b>
Custom dimensions	<b>B0D2D04D</b>



**M32** Department Sign

The interior department sign is printed on a 5 mm thick PVC panel or debond panel for better durability. This sign is available in a variety of sizes to meet the requirements of the site.

**M32: DEPARTMENT SIGNS (w × h)**

760 × 300 mm (PVC)	<b>BOD2M05A</b>
Custom dimensions (PVC)	<b>BOD2M05B</b>
760 × 300 mm (debond)	<b>BOD2M05C</b>
Custom dimensions (debond)	<b>BOD2M05D</b>

**EXAMPLE OF THE SIGNAGE POSITION**

Room Nameplates

M33





Room nameplates made of 5 mm thick PVC panel mounted on a clean and flat wall next to doors. The content itself is digitally printed onto the panel.

M33: ROOM NAMEPLATE (w × h)

210 × 294 mm

B0D2M06B

EXAMPLE OF THE SIGNAGE POSITION








# Interior Multi Brand Elements

EXAMPLE GALLERY

## Interior Signage Multi Brand / Reception, Department Sign



Adjusted existing desk counter, interior department sign, screen surround, beach flag

## Interior Signage Multi Brand / Reception Wall and Desk



Reception desk/counter, Bobcat branded wall behind reception desk

## Interior Signage Multi Brand / Room Nameplates, Interior Directional Sign, Display



Room nameplates



Interior directional sign, department sign



Shelf flag B, display

APPLICATIONS

**05**

# Common Elements




## Overview of Common Elements (3D)

### SALES AND RECEPTION VIEW



## Overview of Common Elements (3D)

### OFFICES AND MEETING ROOM



## Overview of Common Elements (3D)

### WORKSHOP AND STORAGE VIEW

P4 Shelf Stopper B

P8 Shelf Brand Bar

A6 Custom Product Bantex Banner





## List of Common Elements

ELEMENT NAME	PAGE
<b>P1</b> Wall Element A4 for 2 or 4 pcs	148
<b>P1</b> Wall Element A5 for 3 or 6 pcs and DL for 6 or 9 pcs	149
<b>P2</b> Double-Sided Tower Stand	150
<b>P3</b> Shelf Stoppers A	151
<b>P4</b> Shelf Stoppers B	152
<b>P5</b> Shelf Flags A	153
<b>P6</b> Shelf Flags B	154
<b>P7</b> Shelf Decoration	155
<b>P8</b> Shelf Brand Bar	156
<b>P9</b> Shelf Leaflet Holder	157
<b>P10</b> Shelf Leaflet Pocket	158
<b>P11</b> Shelf Tags	159
<b>P12</b> Palette Wrapper	160
<b>P13</b> Palette Wrapper	161
<b>P14</b> Product Posters	162
<b>P15</b> Product Posters	162
<b>P16</b> Roll-up	163
<b>P17</b> Beach Flag	164
<b>P18</b> Bobcat Floor Elements	165
<b>P19</b> Bobcat Floor Elements	165
<b>P20</b> Product Information Stand	166

ELEMENT NAME	PAGE
<b>P21</b> Digital Display Stand	167
<b>P22</b> iPad/tablet Holder	168
<b>P23</b> Wobblers	169
<b>P24</b> Tire Holder	170
<b>P25</b> Wall Mounted Digital Display	171
<b>F1</b> Counters	180
<b>F2</b> Glass Showcase Large	181
<b>F3</b> Glass Showcase Narrow	182
<b>F4</b> Gondolas	183
<b>F5</b> Gondolas	183
<b>W1</b> Workshop Table	188
<b>W2</b> Cabinets	189
<b>W3</b> Cabinets	189
<b>W4</b> Tool Cabinet	190
<b>W5</b> Tool Organizer	190
<b>A1</b> Bobcat Doormat	194
<b>A2</b> Bobcat Projecting Interior Door Sign	196
<b>A3</b> Screen Surround	197

ELEMENT NAME	PAGE
<b>A4</b> Bobcat Fabric Sign	198
<b>A5</b> Custom Motif Mesh Banner	199
<b>A6</b> Custom Motif Bantex Banner	199
<b>A7</b> Bobcat Timeline	200
<b>A8</b> Tent, version A	201
<b>A9</b> Tent, version B	202
<b>A10</b> Passenger Car	203
<b>A11</b> Van	204
<b>A12</b> Clothing Accessories	205



# Point of Sale

FACILITIES SUPPORTING PRODUCTS SALE  
AT POINT OF SALE

**P1** Wall Element A4 for 2 or 4 pcs

Wall-mounted metallic panel in various sizes and with perforation for an easy attachment of various leaflet holders or accessories.




Leaflet holders of various sizes and other accessories can be obtained separately. For available options, see [bobcat-shop.com](http://bobcat-shop.com).

**P1: WALL ELEMENTS (w × h × d)**





265 × 800 × 30 mm	<b>B0D2B02A</b>
460 × 800 × 30 mm	<b>B0D2B02B</b>
800 × 460 × 30 mm	<b>B0D2B02C</b>

**WALL ELEMENT ACCESSORIES**

Wired A4 leaflet pocket	<b>B0D2B02G</b>
Wired A5 leaflet pocket	<b>B0D2B02H</b>
Wired DL leaflet pocket	<b>B0D2B02I</b>



Wall Element A5 for 3 or 6 pcs and DL for 6 or 9 pcs



## P2 Double Sided Tower Stand

Self-supporting metallic tower stand in various sizes and with perforation for an easy attachment of various leaflet holders or accessories.

Leaflet holders of various sizes and other accessories can be obtained separately. For available options, see [bobcat-shop.com](https://bobcat-shop.com).

### P2: DOUBLE-SIDED TOWER STAND (w × h × d)

265 × 1600 × 400 mm	<b>B0D2B03A</b>
---------------------	-----------------

460 × 1600 × 400 mm	<b>B0D2B03B</b>
---------------------	-----------------


### TOWER STAND ACCESSORIES

Wired A4 leaflet pocket	<b>B0D2B03G</b>
-------------------------	-----------------

Wired A5 leaflet pocket	<b>B0D2B03H</b>
-------------------------	-----------------

Wired DL leaflet pocket	<b>B0D2B03I</b>
-------------------------	-----------------

Hook for hanging	<b>B0D2B03J</b>
------------------	-----------------



## Shelf Stoppers A

Shelf Stoppers are placed vertically on a shelf, perpendicular to the aisle. Their purpose is to highlight the goods located on the shelf.


### P3: SHELF STOPPERS A (w × h)

200 × 400 mm **BOD3001A**


Magnetic holder **BOD3001B**



Version A – with product categories



Version B – with logo and tagline




## P4 Shelf Stoppers B

Shelf Stoppers are placed vertically on a shelf, perpendicular to the aisle. Their purpose is to highlight the goods located on the shelf.

**P4: SHELF STOPPERS B (w × h)**

300 × 800 mm	<b>BOD3002A</b>
--------------	-----------------


Magnetic swing arm	<b>BOD3002B</b>
--------------------	-----------------



Version A – with product categories



Version B – with logo and tagline





# Shelf Flags A


P5

Similar to shelf stoppers, shelf flags are used to label goods on shelves and to attract the customer’s attention to a certain group of products.


P5: SHELF FLAGS A (w × h)	
300 × 1000 mm (hard paper)	B0D3003A
300 × 1000 mm (blockout banner)	B0D3003B
Flag holder	B0D3003G



Version A – with product categories



Version B – with logo and tagline




## P6 Shelf Flags B


Similar to shelf stoppers, shelf flags are used to label goods on shelves and to attract the customer's attention to a certain group of products.

### P6: SHELF FLAGS B (w × h)


200 × 350 mm (hard paper)	<b>B0D3004A</b>
200 × 350 mm (blockout banner)	<b>B0D3004B</b>
Flag holder	<b>B0D3003G</b>



Version A – with product categories



Version B – with logo and tagline




Shelf Decoration

P7

Shelf decoration is used to highlight a group of goods. The shelf decoration is made of PVC and its dimensions are tailored to the client’s needs.

P7: SHELF DECORATION (w × h)	
Custom	B0D3005A




P8

## Shelf Brand Bar

Shelf brand bars are used to label and highlight front portions of gondola shelves. Brand bars are supplied as a sticker with a coil of 66 meters.

**P8: SHELF BRAND BAR (w × h)**

5 m × 38 mm	<b>BOD3006A</b>
5 m × 75 mm	<b>BOD3006B</b>
5 m × 150 mm	<b>BOD3006C</b>





## Shelf Leaflet Holder

P9

Bobcat branded leaflet holder suitable for product shelves equipped with price tag bars.

### P9: SHELF LEAFLET HOLDER (w × h)

For A4 leaflets	<b>BOD3007A</b>
For A5 leaflets	<b>BOD3007B</b>
For DL leaflets	<b>BOD3007C</b>




**P10** Shelf Leaflet Pocket

A plastic leaflet pocket mounted on a swinging magnetic arm. The pocket and arm are ordered separately.

**P10: SHELF LEAFLET POCKET (w × h)**

Pocket for A4 leaflets	<b>BOD3008A</b>
Pocket for A3 leaflets	<b>BOD3008B</b>
Magnetic arm	<b>BOD3008G</b>



## Shelf Tags

Shelf tags can be used to label a group of goods on the shelf. There are two available options: with charcoal gray background for new goods, and with white background for price tags and other handwritten texts.



### P11: SHELF TAGS (w × h)

210 mm × 60 mm

**B0D3009A**

Price tag holder/pocket

**B0D3009B**



 Gallery



## P12 Palette Wrapper Thin


Palette wrappers are used to label merchandise on pallets, especially when the merchandise is packed in unlabeled boxes. There can be two types of wrappers. The first one is used to label the palette itself.

The second (wider) one is used to label the goods on the palette.

### P12: PALETTE WRAPPER (w × h)

150 mm × 25 m

**BOD3010A**





## Palette Wrapper Wide



Palette wrappers are used to label merchandise on pallets, especially when the merchandise is packed in unlabeled boxes. There can be two types of wrappers. The first one is used to label the palette itself.

The second (wider) one is used to label the goods on the palette.

### P13: PALETTE WRAPPER (w × h)

500 mm × 204 m

**BOD3011A**



## P15 Product Posters

Product posters can be used to decorate store walls. The basic variant consists of a print on a 5 mm thick PVC panel without a frame.

Alternatively, the poster can consist of a PVC panel with the motif applied onto a sticker for a much higher print quality. The poster is mounted on the wall using double-sided adhesive tape. Posters can also be framed in Nielsen frames, which can be supplied too.

The poster motif can be selected from photos within Bobcat MediaHub.

### P14: PRODUCT POSTER – UV PRINT (w × h)

594 × 420 mm (A2)	<b>B0D3012A</b>
-------------------	-----------------

841 × 594 mm (A1)	<b>B0D3012D</b>
-------------------	-----------------

### P15: PRODUCT POSTER – STICKER (w × h)

594 × 420 mm (A2)	<b>B0D3012B</b>
-------------------	-----------------

841 × 594 mm (A1)	<b>B0D3012E</b>
-------------------	-----------------

### OPTIONAL PRODUCT POSTER ACCESSORIES (w × h)

Nielsen frame for A2 poster	<b>B0D3012C</b>
-----------------------------	-----------------

Nielsen frame for A1 poster	<b>B0D3012F</b>
-----------------------------	-----------------





## Roll-up

Roll-up: the printed banner is clamped into a bar at the top and glued into a mechanism at the bottom. This allows easy and quick setup. Two tilting stands ensure good stability. The printed banner is not included.

**P16: ROLL-UP (w × h)**

800 × 2000 mm

**BOD3013A**


**P17** Beach Flag

Beach flags with aluminum stand with stable and easy construction.

The flag is digitally printed with the Bobcat logo. Flag base is included.

**P17: BEACH FLAG**

Beach flag

**BCGDA4001**

## Bobcat Floor Elements

P18

P19


### A Floor Sticker – The Track/Paws

Lightening store element. Leads customers to Bobcat products using tracks. 20 pieces per set.

#### P18: FLOOR STICKER – THE TRACK/PAWS (w × h)

100 × 100 mm

B0D2B08A



### A Floor Sticker – The Product Zone

A floor sticker used as a support for the Bobcat product area. Can be used to logically divide and rhythmize the area.

#### P19: FLOOR STICKER – THE PRODUCT ZONE (w × h)

1000 × 300 mm


B0D2B09A

Custom size

B0D2B09B



P18: Floor sticker – the track/paws



P19: Floor sticker – the product zone

## P20 Product Information Stand



The interior information stand is available in two variants. The narrow version is primarily intended for use with an A3 or A4 leaflet in a pocket. The wider variant is intended for use with cut-out graphics. The information stand is suitable as a complement to the merchandise and services presented.

**P20: PRODUCT INFORMATION STAND (w × h × d)**

300 × 1050 × 350 mm	<b>B0D3017A</b>
300 × 1650 × 350 mm	<b>B0D3017B</b>
700 × 1050 × 350 mm	<b>B0D3017C</b>
700 × 1650 × 350 mm	<b>B0D3017D</b>

**ACCESSORIES**

Acrylic pocket for A3 leaflet	<b>B0D3018A</b>
Acrylic pocket for A4 leaflet	<b>B0D3018B</b>
Custom cut-out graphics	<b>B0D3018C</b>



## Digital Display Stand

P21


Interior multimedia stand with touchscreen, suitable for visitor/client/employee etc. communication.

The stand is available in variants with 24" (landscape) or 15.6" (portrait) full-HD displays with integrated touchscreens. Both include a WiFi connection and an integrated web browser in kiosk mode for easy presentation of custom information.

Custom applications for presenting information are available on request at additional cost.

### P21: DIGITAL DISPLAY STAND (w × h × d)

24" landscape	636 × 1666 × 452 mm	<b>B0D3014A</b>
15.6" portrait	257 × 1125 × 505 mm	<b>B0D3014B</b>



## P22 iPad/Tablet Holder

Desktop Kiosk for iPad offers a smart solution for presentation at any reception desk or sales counter.

Fixed viewing angle invites visitors to view when positioned on the table. The holder is compatible with 7, 10 and 13 inch tablets.

In the holder the tablet is secured by three grips and a key lock to reduce the risk of theft. The tablet can also be vertically tilted or rotated into portrait or landscape orientations. Tablet and cables are not included.

### P22: IPAD/TABLET HOLDERS

7" Black	<b>B0D3022B</b>
10" Black	<b>B0D3022A</b>
13" Black	<b>B0D3022C</b>





## Wobblers

P23


The wobbler is used to highlight a group of goods. The wobbler is made of cardboard and usually is fixed onto gondola shelves.

The editable part of the wobbler is made of white paper and allows for hand written promotion messages.

### P23: WOBBLERS (w x h)

60 x 90 mm

BOD3015A



Example of hand written  
message on wobbler

## P24 Tire Holder

The tire holder segment consists of a steel base holding a tire and a sign in front decorated with the Bobcat logo. Segments can be chained to make a line of tire holders.



Further spare parts holders can be found in the Bobcat Spare parts holders catalog.

### P24: DIMENSIONS (w × h × d)

1200 × 1385 × 400 mm

**BOD3020A**

### EXAMPLE OF THE SIGNAGE POSITION



Decals examples

## Wall-Mounted Digital Display

P25

Professional full-HD display with slim-depth design, anti-glare screen, IP5X certification and 24/7 operation. Available video inputs are HDMI, DVI or USB. The device can be controlled via a standard Ethernet or WiFi connection and multiple devices can be linked together. The display is compatible with a standard VESA mount.

It is possible to utilize a local supplier if the technical specifications of the digital display are observed.



### P25: DIMENSIONS

43" display	<b>BOD3016A</b>
49" display	<b>BOD3016B</b>
55" display	<b>BOD3016C</b>



# Point of Sale

EXAMPLE GALLERY

## Point of Sale / Wall Element, Beach Flag



Wall element A4 (leaflet holder)



Beach flag



Holder for flags



## Point of Sale / Shelf Stoppers B, Shelf Decoration, Product Information Stand, Floor Elements



Shelf brand bar, shelf stopper B, shelf flag A



Shelf stopper A, shelf flag B




Floor elements (stickers: The Track & The Product Zone), product information stand, interior department sign

## Point of Sale / Shelf Tag Holder





## Point of Sale / Product Information Stand & Smart Signage





# Office & Shop Furniture

## F1 Counters


The counter is available in two variants – with doors (B) or without doors (A). Both versions have an adjustable shelf. The version with doors is lockable.

### F1: COUNTER A – OPEN (w × h × d)


1000 × 1100 × 520 mm **BOD4002A**

### F1: COUNTER B – LOCKABLE DOORS (w × h × d)

1000 × 1100 × 520 mm **BOD4002B**



F1: Counter A – open



F1: Counter B –lockable doors

## Glass Showcase Large

The glass showcase comes with lockable doors, and two types of shelves and lighting are available. Shelves can either be fixed in positions with pre-selected spacing or anchored on metal cables, which allows them to be repositioned at will. Lighting is available as spotlights or LED strips.

### F2: GLASS SHOWCASE – FIXED SHELVES (w × h × d)

1000 × 2150 × 520 mm **BOD4003A**

### F2: GLASS SHOWCASE – ADJ. SHELVES (w × h × d)


1000 × 2150 × 520 mm **BOD4003B**

### GLASS SHOWCASE – ACCESSORIES


Showcase ceiling lighting (3 lights) **BOD4003G**

Showcase LED strips (2 strips) **BOD4003H**

Extra glass shelves for adj. showcase **BOD4003I**



F2: Large glass showcase with fixed shelves



F2: Large glass showcase with adjustable shelves

## F3 Glass Showcase Narrow

The glass showcase comes with lockable doors, and two types of shelves and lighting are available. Shelves can either be fixed in positions with pre-selected spacing or anchored on metal cables, which allows them to be repositioned at will. Lighting is available as spotlights or LED strips.

### F3: GLASS SHOWCASE – FIXED SHELVES (w × h × d)

500 × 2150 × 520 mm **BOD4004A**

### F3: GLASS SHOWCASE – ADJ. SHELVES (w × h × d)


500 × 2150 × 520 mm **BOD4004B**

### GLASS SHOWCASE – ACCESSORIES


Showcase ceiling lighting (3 lights) **BOD4004G**

Showcase LED strips (2 strips) **BOD4004H**

Extra glass shelves for adj. showcase **BOD4004I**



**F3:** Narrow glass showcase with fixed shelves



**F3:** Narrow glass showcase with adjustable shelves

## Gondolas

Gondolas can be ordered in single or double-sided variants and in a wide range of dimensions (height 1000–2600 mm, width 625–1330 mm). The depth of the shelf can be 300–600 mm. The basic gondola consists of two stands, back panels, and shelves according to requirements. Add-on modules have one stand only. A gondola roof is an optional accessory.

### F4: SINGLE-SIDED GONDOLA (w × h × d)


Perforated back	1000 × 2400 mm – 500 mm	<b>B0D4005A</b>
Solid back	1000 × 2400 mm – 500 mm	<b>B0D4005B</b>

### F5: DOUBLE-SIDED BACK GONDOLA (w × h × d)


Perforated back	1000 × 2400 mm – 2 × 500 mm	<b>B0D4006A</b>
Solid back	1000 × 2400 mm – 2 × 500 mm	<b>B0D4006B</b>

### GONDOLA ACCESSORIES

Dual hook 100 mm	<b>B0D4005G</b>
Dual hook 200 mm	<b>B0D4005H</b>
Dual hook 300 mm	<b>B0D4005I</b>
Single hook 100 mm	<b>B0D4005J</b>
Single hook 200 mm	<b>B0D4005K</b>
Single hook 300 mm	<b>B0D4005L</b>



F4: Single-sided gondola



F5: Double-sided gondola





# Office & Shop Furniture

EXAMPLE GALLERY

Furniture



Glass showcases



Furniture Counter A



Furniture Counter B



Wall gondola



Double-sided Gondola



Gondola Accessories


# Workshop Furniture

EQUIPMENT FOR BRANDING THE WORKSHOP AREA


## W1 Workshop Table

Quality workshop desks can be delivered in many different versions. The desk drawers are secured in guide rails with 100% pull-out. The load capacity of each drawer is 40kg and the drawer handles are made of high-quality plastic.

Tables with doors are also equipped with locks with two keys. The worktop is made from 25 mm thick solid wood. The tables are equipped with adjustable legs to compensate for any unevenness in the floor. The load capacity of each table is 300 kg. Constructed in 0.85–1.0 mm thick, high-quality steel plate



Workshop table A



Workshop table B

### W1: WORKSHOP TABLE A (w × h × d)

1200 × 800 × 600 mm

BOD4007A

### W1: WORKSHOP TABLE B (w × h × d)





1200 × 800 × 600 mm

BOD4008A

### ACCESSORIES

Wheels for workshop table/cabinets

BOD4007B



## Cabinets

W3


### Wall-mounted cabinet

Wall-mounted cabinet with perforated back side, lockable doors (two keys included) and four adjustable shelves. Constructed in 0.85–1.0 mm thick steel plate.

#### W2: DIMENSIONS (w × h × d)

800 × 600 × 200 mm

BOD4010A




### Self standing Cabinet

The top storage area of the cabinet is equipped with a safety rim to prevent tools from falling off. The cabinet itself is made of 0.85–1.0 mm thick steel plate and can be locked with a cylindrical lock (two keys included). Inside, there are three shelves with a load capacity of 30 kilograms each.

#### W3: DIMENSIONS (w × h × d)

450 × 1020 × 450 mm

BOD4012A




 Gallery

**W5** Tool Cabinet and Tool Organizer**Tool Cabinet**

Both closets have lockable doors (two keys included) and four adjustable shelves. The back is made of perforated steel plate, 0.85–1.0 mm thick. All fasteners are included.

**W4: DIMENSIONS (w × h × d)**


1600 × 600 × 200 mm

**BOD4011A****Tool Organizer**

Perforated steel plate, 0.85–1.0 mm thick. Includes two sets of tool hangers and all necessary fasteners.

**W5: DIMENSIONS (w × h)**

1200 × 600 × 15 mm

**BOD4009A**

# Workshop Furniture

EXAMPLE GALLERY

## Workshop Tables, Cabinets and Tool Organizers

Workshop table A with 4 drawers



Tool cabinet A with socket



Tool organizer A



Workshop table B with 5 drawers



Tool cabinet B



Tool organizer B





# Additional Branding Elements

OPTIONAL ACCESSORIES, CARS, ETC.

## A1 Bobcat Doormat

The washable printed doormat is made with a 2 cm wide border and non-slip underside made of PVC. The velvety soft surface absorbs fluids and dust. Depending on the method and place of use, it can last 4 to 12 months.

### A1: DIMENSIONS (w × h) – OPTION A

700 × 1000 mm


**B0D2B07A**



The washable printed doormat is made with a 2 cm wide border and non-slip underside made of PVC. The velvety soft surface absorbs fluids and dust. Depending on the method and place of use, it can last 4 to 12 months.

**A1: DIMENSIONS (w × h) – OPTION B**

1000 × 700 mm

**B0D2B07B**

## A2 Bobcat Projecting Interior Door Sign

Projecting door signs can be made to order and are suitable for highlighting toilets, departments and other relevant areas.

### A2: DIMENSIONS (w × h × d)

200 × 200 × 50 mm

**B0D2B12A**



Screen Surround

A3


Acrylic screen surrounds can be used on reception desks to hide the back of computers and monitors as well as to hide potentially confidential material.

A3: DIMENSIONS (w × h)


1000 × 300 mm

B0D2B10A

EXAMPLE OF THE SIGNAGE POSITION



Gallery




## A4 Bobcat Fabric Sign

Fabric-based branding of selected parts of the premise or shelves. The fabric sign is finished with a tunnel at the top for attachment. Dimensions can be customized according to the needs of the client.

### A4: DIMENSIONS (w × h)

1000 × 2000 mm	<b>BOD3019A</b>
Custom dimensions	<b>BOD3019B</b>

### EXAMPLE OF THE SIGNAGE POSITION



# Custom Motif Mesh/Bantex Banner

A mesh banner with custom dimensions used to decorate indoor and outdoor with Bobcat motives.

The banner motive is fully customizable and up to the dealer's requirements and individual needs.

A5: MESH DIMENSIONS (w × h)	
Custom dimensions	BOD3023A
A6: BANTEX DIMENSIONS (w × h)	
Custom dimensions	BOD3024A



A5: Custom Motive Mesh Banner



A6: Custom Motive Bantex Banner

## A7 Bobcat & Dealer History

A wallpaper for dealership's interior to decorate areas like customer waiting room or a meeting room.

The timeline is fully customizable according to the Bobcat's and Dealer's needs.

### A7: DIMENSIONS (w × h)

Custom dimensions

BOD3025A







## Tent, version A

This kind of a tent should have the design printed on the roof and sides using thermo sublimation technology. The tent itself is extremely durable with a 3×3 m all- aluminum construction.

### A8: DIMENSIONS (w × h)

3000 × 3000 mm (Big hexagon)	<b>B0D3021A</b>
3000 × 3000 mm (Small hexagon)	<b>B0D3021C</b>



**A9** Tent, version B

This more economical version of the tent comes with a red border patch and white logo on the front side of the roof only. Without the option of sidewall printing. The tent itself is extremely durable with a 3×3 m all-aluminum construction.

**A9: DIMENSIONS (w × h)**

3000 × 3000 mm (Big hexagon)	<b>B0D3021B</b>
------------------------------	-----------------

3000 × 3000 mm (Small hexagon)	<b>B0D3021D</b>
--------------------------------	-----------------



## Passenger Car

A10

Car signage is generally based on the design of Bobcat machines. The predominant color is white while the rear part of the vehicle should be orange. On a white background only a black version of the Bobcat logotype is allowed. On an orange background color the white version of Bobcat logotype has to be used. The decorative scratches can now be used as an optional add-on.

The suggested solution here serves as a general example how to approach with application of these elements on a passenger car. Any specific solution must, of course, respect the bodywork properties of the specific car. Design consultations are available if necessary.



### A10: DIMENSIONS (w × h)

Passenger car design

BOD0001A



## A11 Van

Car signage is generally based on the design of Bobcat machines. The predominant color is white while the rear part of the vehicle should be orange. On a white background, only a black version of the Bobcat logotype is allowed. On an orange background, the white version of Bobcat logotype has to be used. The decorative scratches can now be used as an optional add-on.

The suggested solution here serves as a general example how to approach with application of these elements on a passenger car. Any specific solution must, of course, respect the bodywork properties of the specific car. Design consultations are available if necessary.

## A11: DIMENSIONS (w × h)

Van design

BOD0001B



## Clothing Accessories

A12

This manual does not define a strict dress code, it merely recommends appropriate combinations for each staff category.

For shop assistants, it is recommended to use a red polo shirt accompanied with a Bobcat logo, possibly with scratches too. This shall be supplemented by dark gray trousers.

Sales managers should wear a white shirt with long or short sleeves. The shirt can be further supplemented by A) a Bobcat pin, B) an embroidered bobcat head on the collar, C) red thread quilted buttons, D) a red tie bearing a Bobcat logo.



Small Bobcat head logo on the chest



Bobcat Pin



# Additional Branding Elements

EXAMPLE GALLERY

## Wall-Mounted Digital Display, Advertisement Doormat





## Screen Surround, Projecting Interior Sign



Desk counter with screen surrounder



Projecting interior sign

## Tent



# **06** Summary of Signage

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
B1	3D Logo Sign – Bobcat	2000 × 550 mm	Page 51	Page 102	<b>BOD1B05A</b>	
B1	3D Logo Sign – Bobcat	Custom dimensions	Page 51	Page 102	<b>BOD1B05B</b>	
L1	3D Logo Sign – Dealer	Height 550 mm	Page 51	Page 102	<b>BOD1L05A</b>	
L1	3D Logo Sign – Dealer	Custom dimensions	Page 51	Page 102	<b>BOD1L05B</b>	
M1	3D Logo Sign – Other Brand	2000 × 550 mm		Page 102	<b>BOD1M05A</b>	
M1	3D Logo Sign – Other Brand	Custom dimensions		Page 102	<b>B3D3B03A</b>	
B2	Box Type Sign Horizontal – Bobcat	2000 × 750 mm	Page 52	Page 103	<b>BOD1B03A</b>	
B2	Box Type Sign Horizontal – Bobcat	4000 × 1500 mm	Page 52	Page 103	<b>BOD1B03B</b>	
B2	Box Type Sign Horizontal – Bobcat	Custom dimensions	Page 52	Page 103	<b>BOD1B03C</b>	
L2	Box Type Sign Horizontal – Dealer	2000 × 750 mm	Page 52	Page 103	<b>BOD1L03A</b>	
L2	Box Type Sign Horizontal – Dealer	4000 × 1500 mm	Page 52	Page 103	<b>BOD1L06B</b>	
L2	Box Type Sign Horizontal – Dealer	Custom dimensions	Page 52	Page 103	<b>BOD1L06C</b>	
M2	Box Type Sign Horizontal – Other Brand	2000 × 750 mm		Page 103	<b>BOD1M03A</b>	
M2	Box Type Sign Horizontal – Other Brand	4000 × 1500 mm		Page 103	<b>BOD1M03B</b>	
M2	Box Type Sign Horizontal – Other Brand	Custom dimensions		Page 103	<b>BOD1M03C</b>	
B3	Flex Face Sign – Bobcat	4000 × 1500 mm	Page 53	Page 104	<b>BOD1B02A</b>	
B3	Flex Face Sign – Bobcat	Custom dimensions	Page 53	Page 104	<b>BOD1B02B</b>	
L3	Flex Face Sign – Dealer	4000 × 1500 mm	Page 53	Page 104	<b>BOD1L02A</b>	
L3	Flex Face Sign – Dealer	Custom dimensions	Page 53	Page 104	<b>BOD1L02B</b>	
M3	Flex Face Sign – Other Brand	4000 × 1500 mm		Page 104	<b>BOD1M01A</b>	
M3	Flex Face Sign – Other Brand	Custom dimensions		Page 104	<b>BOD1M01B</b>	
B4	Debond Sign – Bobcat	2000 × 750 mm	Page 54	Page 105	<b>BOD1B01A</b>	
B4	Debond Sign – Bobcat	4000 × 1500 mm	Page 54	Page 105	<b>BOD1B01B</b>	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
B4	Debond Sign – Bobcat	Custom dimensions	Page 54	Page 105	<b>BOD1B01C</b>	
L4	Debond Sign – Dealer	2000 × 750 mm	Page 54	Page 105	<b>BOD1L01A</b>	
L4	Debond Sign – Dealer	4000 × 1500 mm	Page 54	Page 105	<b>BOD1L01B</b>	
L4	Debond Sign – Dealer	Custom dimensions	Page 54	Page 105	<b>BOD1L01C</b>	
M4	Debond Sign – Other Brand	2000 × 750 mm		Page 105	<b>BOD1M02A</b>	
M4	Debond Sign – Other Brand	4000 × 1500 mm		Page 105	<b>BOD1M02B</b>	
M4	Debond Sign – Other Brand	Custom dimensions		Page 105	<b>BOD1M02C</b>	
B5	Console-Mounted Box Type Sign Vertical – Bobcat	1000 × 1000 mm	Page 55	Page 106	<b>BOD1B04A</b>	
B5	Console-Mounted Box Type Sign Vertical – Bobcat	Custom dimensions	Page 55	Page 106	<b>BOD1B04B</b>	
L5	Console-Mounted Box Type Sign Vertical – Dealer	1000 × 1000 mm	Page 55	Page 106	<b>BOD1L04A</b>	
L5	Console-Mounted Box Type Sign Vertical – Dealer	Custom dimensions	Page 55	Page 106	<b>BOD1L04C</b>	
M5	Console-Mounted Box Type Sign Vertical – Multi Brand	1000 × 1000 mm		Page 106	<b>BOD1M04A</b>	
M5	Console-Mounted Box Type Sign Vertical – Multi Brand	Custom dimensions		Page 106	<b>BOD1M04B</b>	
B6	Entrance Sign (Flex Face) – Bobcat	4000 × 1500 mm	Page 56	Page 107	<b>BOD1B08A</b>	
B6	Entrance Sign (Flex Face) – Bobcat	Custom dimensions	Page 56	Page 107	<b>BOD1B08B</b>	
L6	Entrance Sign (Flex Face) – Dealer	4000 × 1500 mm	Page 56	Page 107	<b>BOD1L08A</b>	
L6	Entrance Sign (Flex Face) – Dealer	Custom dimensions	Page 56	Page 107	<b>BOD1L08B</b>	
M6	Entrance Sign (Flex Face) – Multi Brand	4000 × 1500 mm		Page 107	<b>BOD1M08A</b>	
M6	Entrance Sign (Flex Face) – Multi Brand	Custom dimensions		Page 107	<b>BOD1M08B</b>	
B7	Entrance Sign (Debond) – Bobcat	2000 × 750 mm	Page 57		<b>BOD1B09A</b>	
B7	Entrance Sign (Debond) – Bobcat	4000 × 1500 mm	Page 57		<b>BOD1B09B</b>	
B7	Entrance Sign (Debond) – Bobcat	Custom dimensions	Page 57		<b>BOD1B09C</b>	
L7	Entrance Sign (Debond) – Dealer	2000 × 750 mm	Page 57		<b>BOD1L09A</b>	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
L7	Entrance Sign (Debond) – Dealer	4000 × 1500 mm	Page 57		<b>BOD1L09B</b>	
L7	Entrance Sign (Debond) – Dealer	Custom dimensions	Page 57		<b>BOD1L09C</b>	
M7	Entrance Sign (Debond) – Multi Brand	2000 × 750 mm		Page 108	<b>BOD1M09A</b>	
M7	Entrance Sign (Debond) – Multi Brand	4000 × 1500 mm		Page 108	<b>BOD1M09B</b>	
M7	Entrance Sign (Debond) – Multi Brand	Custom dimensions		Page 108	<b>BOD1M09C</b>	
B8	Totem – Bobcat	1200 × 4000 × 185 mm	Page 58		<b>BOD1B18A</b>	
M8	Totem – Multi Brand	1200 × 4000 × 185 mm		Page 109	<b>BOD1M18A</b>	
B9	Totem – Illuminated – Bobcat	1200 × 4000 × 185 mm	Page 59		<b>BOD1B18B</b>	
M9	Totem – Illuminated – Multi Brand	1200 × 4000 × 185 mm		Page 110	<b>BOD1M18B</b>	
B10	Directional Sign A – Non-illuminated – Bobcat	1200 × 4000 mm	Page 60		<b>BOD1B20B</b>	
B10	Directional Sign A – Illuminated – Bobcat	1200 × 4000 mm	Page 60		<b>BOD1B20D</b>	
M10	Directional Sign A – Non-illuminated – Multi Brand	1200 × 4000 mm		Page 111	<b>BOD1M20B</b>	
M10	Directional Sign A – Illuminated – Multi Brand	1200 × 4000 mm		Page 111	<b>BOD1M20D</b>	
B11	Directional Sign B – Non-illuminated – Bobcat	1000 × 2750 mm	Page 61		<b>BOD1B21B</b>	
B11	Directional Sign B – Illuminated – Bobcat	1000 × 2750 mm	Page 61		<b>BOD1B21D</b>	
M11	Directional Sign B – Non-illuminated – Multi Brand	1000 × 3120 mm		Page 112	<b>BOD1M21B</b>	
M11	Directional Sign B – Illuminated – Multi Brand	1000 × 3120 mm		Page 112	<b>BOD1M21D</b>	
B12	Directional Sign C – Non-illuminated – Bobcat	1000 × 2000 mm	Page 62		<b>BOD1B22B</b>	
B12	Directional Sign C – Non-illuminated – Bobcat	Custom height up to 2 m	Page 62		<b>BOD1B22F</b>	
B12	Directional Sign C – Illuminated – Bobcat	1000 × 2000 mm	Page 62		<b>BOD1B22D</b>	
B12	Directional Sign C – Illuminated – Bobcat	Custom height up to 2 m	Page 62		<b>BOD1B22H</b>	
M12	Directional Sign C – Non-illuminated – Multi Brand	1000 × 2000 mm		Page 113	<b>BOD1M22B</b>	
M12	Directional Sign C – Non-illuminated – Multi Brand	Custom height		Page 113	<b>BOD1M22F</b>	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
M12	Directional Sign C – Illuminated – Multi Brand	1000 × 2000 mm		Page 113	<b>BOD1M22D</b>	
M12	Directional Sign C – Illuminated – Multi Brand	Custom height		Page 113	<b>BOD1M22H</b>	
B13	Directional Sign – Wall-Mounted – Bobcat	1000 × 1000 mm	Page 63		<b>BOD1B19C</b>	
B13	Directional Sign – Wall-Mounted – Bobcat	Custom dimensions	Page 63		<b>BOD1B19D</b>	
M13	Directional Sign – Wall-Mounted – Multi Brand	1000 × 1150 mm		Page 114	<b>BOD1M19C</b>	
M13	Directional Sign – Wall-Mounted – Multi Brand	Custom dimensions		Page 114	<b>BOD1M19B</b>	
B14	Vertical Flags – Bobcat	800 × 2000 mm	Page 64	Page 115	<b>BOD1B99A</b>	
L14	Vertical Flags – Dealer	800 × 2000 mm	Page 64	Page 115	<b>MULTID1B99A</b>	
M14	Vertical Flags – Other Brand	800 × 2000 mm		Page 115	<b>MULTIOTHERBOD1B99A</b>	
T14	Vertical Flags – “One Tough Animal”	800 × 2000 mm	Page 64		<b>BOD1B99A</b>	
B15	Horizontal Flags – Bobcat	1250 × 500 mm	Page 65	Page 116	<b>BOD1B99B</b>	
L15	Horizontal Flags – Dealer	1250 × 500 mm	Page 65	Page 116	<b>MULTID1B99B</b>	
M15	Horizontal Flags – Other Brand	1250 × 500 mm		Page 116	<b>MULTIOTHERBOD1B99B</b>	
T15	Horizontal Flags – “One Tough Animal”	1250 × 500 mm	Page 65		<b>BOD1B99B</b>	
B16	Pole Sign – Exclusive	8000 × 4560 mm (1 LED box)	Page 51		<b>BOD1B23B</b>	
B16	Pole Sign construction	Height 15 m	Page 51		<b>BOD1B23A</b>	
M16	Pole Sign – Multi Brand	8000 × 4560 mm (1 LED box)		Page 117	<b>BOD1B23B</b>	
M16	Pole Sign construction	Height 15 m		Page 117	<b>BOD1B23A</b>	
B17	Department Sign – Bobcat	1450 × 400 mm	Page 67		<b>BOD1B10A</b>	
B17	Department Sign – Bobcat	Custom dimensions	Page 67		<b>BOD1B10B</b>	
B17	Department Sign – Parking (Wall-Mounted)	400 × 110 mm	Page 67		<b>BOD1B10C</b>	
B17	Department Sign – Parking (fence mounted)	400 × 110 mm	Page 67		<b>BOD1B10D</b>	
M17	Department Sign – Multi Brand	1450 × 400 mm		Page 118	<b>BOD1M10A</b>	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
M17	Department Sign – Multi Brand	Custom dimensions		Page 118	<b>BOD1M10B</b>	
M17	Department Sign – Parking (Wall-Mounted)	400 × 110 mm		Page 118	<b>BOD1M10C</b>	
M17	Department Sign – Parking (fence mounted)	400 × 110 mm		Page 118	<b>BOD1M10D</b>	
B18	Bantex Sign – Bobcat	2000 × 750 mm	Page 68	Page 119	<b>BOD1B06A</b>	
B18	Bantex Sign – Bobcat	4000 × 1500 mm	Page 68	Page 119	<b>BOD1B06B</b>	
B18	Bantex Sign – Bobcat	Custom dimensions	Page 68	Page 119	<b>BOD1B06C</b>	
L18	Bantex Sign – Dealer	2000 × 750 mm	Page 68	Page 119	<b>BOD1L06A</b>	
L18	Bantex Sign – Dealer	4000 × 1500 mm	Page 68	Page 119	<b>BOD1L06B</b>	
L18	Bantex Sign – Dealer	Custom dimensions	Page 68	Page 119	<b>BOD1L06C</b>	
M18	Bantex Sign – Other Brand	2000 × 750 mm		Page 119	<b>BOD1M06A</b>	
M18	Bantex Sign – Other Brand	4000 × 1500 mm		Page 119	<b>BOD1M06B</b>	
M18	Bantex Sign – Other Brand	Custom dimensions		Page 119	<b>BOD1M06C</b>	
B19	Mesh Sign – Bobcat	2000 × 750 mm	Page 69	Page 120	<b>BOD1B06A</b>	
B19	Mesh Sign – Bobcat	4000 × 1500 mm	Page 69	Page 120	<b>BOD1B06B</b>	
B19	Mesh Sign – Bobcat	Custom dimensions	Page 69	Page 120	<b>BOD1B06C</b>	
L19	Mesh Sign – Dealer	2000 × 750 mm	Page 69	Page 120	<b>BOD1L06A</b>	
L19	Mesh Sign – Dealer	4000 × 1500 mm	Page 69	Page 120	<b>BOD1L06B</b>	
L19	Mesh Sign – Dealer	Custom dimensions	Page 69	Page 120	<b>BOD1L06C</b>	
M19	Mesh Sign – Other Brand	2000 × 750 mm		Page 120	<b>BOD1M07A</b>	
M19	Mesh Sign – Other Brand	4000 × 1500 mm		Page 120	<b>BOD1M07B</b>	
M19	Mesh Sign – Other Brand	Custom dimensions		Page 120	<b>BOD1M07C</b>	
B20	Window Stickers – Bobcat	670 × 250 mm	Page 70		<b>BOD1B11A</b>	
B20	Window Stickers – Bobcat	Custom dimensions	Page 70		<b>BOD1B11B</b>	



## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
T20	Window Stickers – “One Tough Animal”	670 × 250 mm	Page 71		BOD1B12A	
T20	Window Stickers – “One Tough Animal”	Custom dimensions	Page 71		BOD1B12B	
B21	Window Sticker Strip – Bobcat & “One Tough Animal”	5000 × 150 mm	Page 70		BOD1B15A	
B21	Window Sticker Strip – Bobcat & “One Tough Animal”	5000 × 75 mm	Page 70		BOD1B15B	
B21	Window Sticker Strip – Bobcat & “One Tough Animal”	5000 × 48 mm	Page 70		BOD1B15C	
B21	Window Sticker Strip – Bobcat & “One Tough Animal”	Custom dimensions	Page 70		BOD1B15D	
B22	Window Decal – Bobcat’s head	580 × 600 mm	Page 71		BOD1B13A	
B22	Window Decal – Bobcat’s head	Custom dimensions	Page 71		BOD1B13B	
B23	Window Decal – Scratches	580 × 600 mm	Page 71		BOD1B14A	
B23	Window Decal – Scratches	Custom dimensions	Page 71		BOD1B14B	
B24	Door Decals Push/Pull – Bobcat	100 × 35 mm	Page 72		BOD1B16A	
B25	Opening Hours Sign – Bobcat	230 × 310 mm	Page 72		BOD1B17A	
B27	Reception Desk Panel/Wall – Bobcat	800 × 2750 mm	Page 84		BOD2B01A	
M27	Reception Desk Panel/Wall – Multi Brand	800 × 2750 mm		Page 130	BOD2M01A	
B28	Reception Desk – Bobcat (Blueprint)	1800 × 900 (1100) × 700 mm	Page 84		BOD4B01A	
M28	Reception Desk – Multi Brand (Blueprint)	1800 × 900 (1100) × 700 mm		Page 130	BOD4M01A	
B29	Interior Logo 3D – Bobcat	2000 × 550 × 20 mm	Page 85		BOD2B13A	
B29	Interior Logo 3D – Bobcat	Custom dimensions	Page 85		BOD2B13B	
M29	Interior Logo 3D – Other Brand / Dealer	Custom dimension × 550 × 20 mm		Page 131	BOD2M13A	
M29	Interior Logo 3D – Other Brand / Dealer	Custom dimensions		Page 131	BOD2M13B	
B30	Display A – Bobcat	1500 × 960 mm	Page 86	Page 132	BOD2B11A	
B30	Display B – Bobcat	980 × 625 mm	Page 86	Page 132	BOD2B11B	
M30	Display A – Other Brand	1500 × 960 mm		Page 132	BOD2M11A	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
M30	Display B – Other Brand	980 × 625 mm		Page 132	<b>BOD2M11B</b>	
B31	Interior Directional Sign – Wall-Mounted – Bobcat	1000 × 1000 mm	Page 87		<b>BOD2B04B</b>	
B31	Interior Directional Sign – Wall-Mounted – Bobcat	Custom dimensions	Page 87		<b>BOD2B04D</b>	
M31	Interior Directional Sign – Wall-Mounted – Multi Brand	1000 × 1000 mm		Page 133	<b>BOD2M04B</b>	
M31	Interior Directional Sign – Wall-Mounted – Multi Brand	Custom dimensions		Page 133	<b>BOD2M04D</b>	
B32	Interior Department Sign – Bobcat (PVC)	1100 × 300 mm	Page 88		<b>BOD2B05A</b>	
B32	Interior Department Sign – Bobcat (PVC)	Custom dimensions	Page 88		<b>BOD2B05B</b>	
B32	Interior Department Sign – Bobcat (Debond)	1100 × 300 mm	Page 88		<b>BOD2B05C</b>	
B32	Interior Department Sign – Bobcat (Debond)	Custom dimensions	Page 88		<b>BOD2B05D</b>	
M32	Interior Department Sign – Multi Brand (PVC)	760 × 300 mm		Page 134	<b>BOD2M05A</b>	
M32	Interior Department Sign – Multi Brand (PVC)	Custom dimensions		Page 134	<b>BOD2M05B</b>	
M32	Interior Department Sign – Multi Brand (Debond)	760 × 300 mm		Page 134	<b>BOD2M05C</b>	
M32	Interior Department Sign – Multi Brand (Debond)	Custom dimensions		Page 134	<b>BOD2M05D</b>	
B33	Room Nameplates – Bobcat	210 × 294 mm	Page 89		<b>BOD2B06B</b>	
M33	Room Nameplates – Multi Brand	210 × 294 mm		Page 135	<b>BOD2M06B</b>	
P1	Wall Element	265 × 800 × 30 mm	Page 148	Page 148	<b>BOD2B02A</b>	
P1	Wall Element	460 × 800 × 30 mm	Page 148	Page 148	<b>BOD2B02B</b>	
P1	Wall Element	800 × 460 × 30 mm	Page 148	Page 148	<b>BOD2B02C</b>	
P1	Wall Element Accessories – Wired A4 Leaflet Pocket	232 × 212 × 66 mm	Page 148	Page 148	<b>BOD2B02G</b>	
P1	Wall Element Accessories – Wired A5 Leaflet Pocket	172 × 165 × 66 mm	Page 148	Page 148	<b>BOD2B02H</b>	
P1	Wall Element Accessories – Wired DL Leaflet Pocket	172 × 104 × 66 mm	Page 148	Page 148	<b>BOD2B02I</b>	
P2	Double-Sided Tower Stand	265 × 1600 × 400 mm	Page 150	Page 150	<b>BOD2B02A</b>	
P2	Double-Sided Tower Stand	460 × 1600 × 400 mm	Page 150	Page 150	<b>BOD2B02A</b>	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
P2	Tower Stand Accessories – Wired A4 Leaflet Pocket	232 × 212 × 66 mm	Page 150	Page 150	BOD2B03G	
P2	Tower Stand Accessories – Wired A5 Leaflet Pocket	172 × 165 × 66 mm	Page 150	Page 150	BOD2B03H	
P2	Tower Stand Accessories – Wired DL Leaflet Pocket	172 × 104 × 66 mm	Page 150	Page 150	BOD2B03I	
P2	Tower Stand Accessories – Hook for Hanging	35 × 24 × 183 mm	Page 150	Page 150	BOD2B03J	
P3	Shelf Stoppers A	200 × 400 mm	Page 151	Page 151	BOD3001A	
P3	Shelf Stoppers A – Magnetic Holder		Page 151	Page 151	BOD3001B	
P4	Shelf Stoppers B	300 × 800 mm	Page 152	Page 152	BOD3002A	
P4	Shelf Stoppers B – Magnetic Swing Arm		Page 152	Page 152	BOD3002B	
P5	Shelf Flags A – Hard Paper	300 × 1000 mm	Page 153	Page 153	BOD3003A	
P5	Shelf Flags A – Blockout Banner	300 × 1000 mm	Page 153	Page 153	BOD3003B	
P5	Flag Holder		Page 153	Page 153	BOD3003G	
P6	Shelf Flags B – Hard Paper	300 × 1000 mm	Page 154	Page 154	BOD3004A	
P6	Shelf Flags B – Blockout Banner	300 × 1000 mm	Page 154	Page 154	BOD3004B	
P6	Flag Holder		Page 154	Page 154	BOD3003G	
P7	Shelf Decoration	Custom dimensions	Page 155	Page 155	BOD3005A	
P8	Shelf Brand Bar	5000 × 38 mm	Page 156	Page 156	BOD3006A	
P8	Shelf Brand Bar	5000 × 75 mm	Page 156	Page 156	BOD3006B	
P8	Shelf Brand Bar	5000 × 150 mm	Page 156	Page 156	BOD3006C	
P9	Shelf Leaflet Holder (A4)	for A4 leaflets	Page 157	Page 157	BOD3007A	
P9	Shelf Leaflet Holder (A5)	for A5 leaflets	Page 157	Page 157	BOD3007B	
P9	Shelf Leaflet Holder (DL)	for DL leaflets	Page 157	Page 157	BOD3007C	
P10	Shelf Leaflet Pocket (A4)	for A4 leaflets	Page 158	Page 158	BOD3008A	
P10	Shelf Leaflet Pocket (A3)	for A3 leaflets	Page 158	Page 158	BOD3008B	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
P10	Shelf Leaflet Pocket – Magnetic Arm		Page 158	Page 158	<b>BOD3008G</b>	
P11	Shelf Tags	210 mm × 60 mm	Page 159	Page 159	<b>BOD3009A</b>	
P11	Shelf Tags – Price Tag Holder/Pocket		Page 159	Page 159	<b>BOD3009B</b>	
P12	Palette Wrapper – Thin	150 mm × 25 m	Page 160	Page 160	<b>BOD3010A</b>	
P13	Palette Wrapper – Wide	500 mm × 204 m	Page 161	Page 161	<b>BOD3011A</b>	
P14	Product Posters – UV Print (A2)	594 × 420 mm (A2)	Page 162	Page 162	<b>BOD3012A</b>	
P14	Product Posters – UV Print (A1)	841 × 594 mm (A1)	Page 162	Page 162	<b>BOD3012D</b>	
P14	Optional Product Poster Accessories – Nielsen Frame for A2 Poster		Page 162	Page 162	<b>BOD3012C</b>	
P14	Optional Product Poster Accessories – Nielsen Frame for A1 Poster		Page 162	Page 162	<b>BOD3012F</b>	
P15	Product Posters – Sticker on PVC (A2)	594 × 420 mm (A2)	Page 162	Page 162	<b>BOD3012B</b>	
P15	Product Posters – Sticker on PVC (A1)	841 × 594 mm (A1)	Page 162	Page 162	<b>BOD3012E</b>	
P16	Roll-up	800 × 2000 mm	Page 163	Page 163	<b>BOD3013A</b>	
P17	Beach Flag		Page 164	Page 164	<b>BCGDA4001</b>	
P18	Bobcat Floor Elements – The Track/Paws	100 × 100 mm	Page 165	Page 165	<b>BOD2B08A</b>	
P19	Bobcat Floor Elements – The Product Zone	1000 × 300 mm	Page 165	Page 165	<b>BOD2B09A</b>	
P19	Bobcat Floor Elements – The Product Zone	Custom dimensions	Page 165	Page 165	<b>BOD2B09B</b>	
P20	Product Information Stand A	300 × 1050 × 350 mm	Page 166	Page 166	<b>BOD3017A</b>	
P20	Product Information Stand B	300 × 1650 × 350 mm	Page 166	Page 166	<b>BOD3017B</b>	
P20	Product Information Stand C	700 × 1050 × 350 mm	Page 166	Page 166	<b>BOD3017C</b>	
P20	Product Information Stand D	700 × 1650 × 350 mm	Page 166	Page 166	<b>BOD3017D</b>	
P20	Product Information Stand Accessories – Acrylic Pocket for A3 Leaflet		Page 166	Page 166	<b>BOD3018A</b>	
P20	Product Information Stand Accessories – Acrylic Pocket for A4 Leaflet		Page 166	Page 166	<b>BOD3018B</b>	
P20	Product Information Stand Accessories – Custom Cut-Out Graphics		Page 166	Page 166	<b>BOD3018C</b>	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
P21	Digital Display Stand (24" landscape display)	636 × 1666 × 452 mm (24" landscape)	Page 167	Page 167	BOD3014A	
P21	Digital Display Stand (15.6" portrait display)	257 × 1125 × 505 mm (15.6" portrait)	Page 167	Page 167	BOD3014B	
P22	iPad/Tablet Holder	7" Black	Page 168	Page 168	BOD3022B	
P22	iPad/Tablet Holder	10" Black	Page 168	Page 168	BOD3022A	
P22	iPad/Tablet Holder	13" Black	Page 168	Page 168	BOD3022C	
P23	Wobblers	60 × 90 mm	Page 169	Page 169	BOD3015A	
P24	Tire Holder	1200 × 1385 × 400 mm	Page 170	Page 170	BOD3020A	
P25	Wall-Mounted Digital Display 43"	43" display	Page 171	Page 171	BOD3016A	
P25	Wall-Mounted Digital Display 49"	49" display	Page 171	Page 171	BOD3016B	
P25	Wall-Mounted Digital Display 55"	55" display	Page 171	Page 171	BOD3016C	
F1	Counter A – Open Front	1000 × 1100 × 520 mm	Page 180	Page 180	BOD4002A	
F1	Counter B – Lockable Doors	1000 × 1100 × 520 mm	Page 180	Page 180	BOD4002B	
F2	Glass Showcase Large With Fixed Shelves	1000 × 2150 × 520 mm	Page 181	Page 181	BOD4003A	
F2	Glass Showcase Large With Adjustable Shelves	1000 × 2150 × 520 mm	Page 181	Page 181	BOD4003B	
F2	Glass Showcase Large – Accessories – Ceiling Lighting (3 Lights)		Page 181	Page 181	BOD4003G	
F2	Glass Showcase Large – Accessories – LED Strips (2 Strips)		Page 181	Page 181	BOD4003H	
F2	Glass Showcase Large – Accessories – Extra Glass Shelves for Adjustable Showcase		Page 181	Page 181	BOD4003I	
F3	Glass Showcase Narrow With Fixed Shelves	500 × 2150 × 520 mm	Page 182	Page 182	BOD4004A	
F3	Glass Showcase Narrow With Adjustable Shelves	500 × 2150 × 520 mm	Page 182	Page 182	BOD4004B	
F3	Glass Showcase Narrow – Accessories – Ceiling Lighting (3 Lights)		Page 182	Page 182	BOD4004G	
F3	Glass Showcase Narrow – Accessories – LED Strips (2 Strips)		Page 182	Page 182	BOD4004H	
F3	Glass Showcase Narrow – Accessories – Extra Glass Shelves for Adjustable Showcase		Page 182	Page 182	BOD4004I	
F4	Gondolas – Single-Sided – Perforated Back	1000 × 2400 mm – 500 mm	Page 183	Page 183	BOD4005A	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
F4	Gondolas – Single-Sided – Solid Back	1000 × 2400 mm – 500 mm	Page 183	Page 183	<b>BOD4005B</b>	
F4	Gondola Accessories – Dual Hook	100 mm	Page 183	Page 183	<b>BOD4005G</b>	
F4	Gondola Accessories – Dual Hook	200 mm	Page 183	Page 183	<b>BOD4005H</b>	
F4	Gondola Accessories – Dual Hook	300 mm	Page 183	Page 183	<b>BOD4005I</b>	
F4	Gondola Accessories – Single Hook	100 mm	Page 183	Page 183	<b>BOD4005J</b>	
F4	Gondola Accessories – Single Hook	200 mm	Page 183	Page 183	<b>BOD4005K</b>	
F4	Gondola Accessories – Single Hook	300 mm	Page 183	Page 183	<b>BOD4005L</b>	
F5	Gondolas – Double-Sided – Perforated Back	1000 × 2400 mm – 2 × 500 mm	Page 183	Page 183	<b>BOD4006A</b>	
F5	Gondolas – Double-Sided – Solid Back	1000 × 2400 mm – 2 × 500 mm	Page 183	Page 183	<b>BOD4006B</b>	
F5	Gondola Accessories – Dual Hook	100 mm	Page 183	Page 183	<b>BOD4005G</b>	
F5	Gondola Accessories – Dual Hook	200 mm	Page 183	Page 183	<b>BOD4005H</b>	
F5	Gondola Accessories – Dual Hook	300 mm	Page 183	Page 183	<b>BOD4005I</b>	
F5	Gondola Accessories – Single Hook	100 mm	Page 183	Page 183	<b>BOD4005J</b>	
F5	Gondola Accessories – Single Hook	200 mm	Page 183	Page 183	<b>BOD4005K</b>	
F5	Gondola Accessories – Single Hook	300 mm	Page 183	Page 183	<b>BOD4005L</b>	
W1	Workshop Table A	1200 × 800 × 600 mm	Page 188	Page 188	<b>BOD4007A</b>	
W1	Workshop Table B	1200 × 800 × 600 mm	Page 188	Page 188	<b>BOD4008A</b>	
W1	Workshop Table Accessories – Wheels for Workshop Table/Cabinet		Page 188	Page 188	<b>BOD4007B</b>	
W2	Cabinet – Wall-Mounted	800 × 600 × 200 mm	Page 189	Page 189	<b>BOD4010A</b>	
W3	Cabinet – Self Standing	450 × 1020 × 450 mm	Page 189	Page 189	<b>BOD4012A</b>	
W4	Tool Cabinet	1600 × 600 × 200 mm	Page 190	Page 190	<b>BOD4011A</b>	
W5	Tool Organizer	1200 × 600 × 15 mm	Page 190	Page 190	<b>BOD4009A</b>	
A1	Bobcat Doormat – Option A	700 × 1000 mm	Page 194	Page 194	<b>BOD2B07A</b>	

## Full-list of signage and branded elements

Item no.	Item	Dimensions (w × h × d)	Dealer Type		Item Ordering Code	Check-box
			Exclusive	Multi Brand		
A1	Bobcat Doormat – Option B	1000 × 700 mm	Page 194	Page 194	<b>BOD2B07B</b>	
A2	Bobcat Projecting Interior Door Sign	200 × 200 × 50 mm	Page 196	Page 196	<b>BOD2B12A</b>	
A3	Screen Surround	1000 × 300 mm	Page 197	Page 197	<b>BOD2B10A</b>	
A4	Bobcat Fabric Sign	1000 × 2000 mm	Page 198	Page 198	<b>BOD3019A</b>	
A4	Bobcat Fabric Sign	Custom dimensions	Page 198	Page 198	<b>BOD3019B</b>	
A5	Custom Motif Mesh Banner	Custom dimensions	Page 199	Page 199	<b>BOD3023A</b>	
A6	Custom Motif Bantex Banner	Custom dimensions	Page 199	Page 199	<b>BOD3024A</b>	
A7	Bobcat Timeline	Custom dimensions	Page 200	Page 200	<b>BOD3025A</b>	
A8	Tent – Version A – Big hexagon	3000 × 3000 mm	Page 201	Page 201	<b>BOD3021A</b>	
A8	Tent – Version A – Small hexagon	3000 × 3000 mm	Page 201	Page 201	<b>BOD3021C</b>	
A9	Tent – Version B – Big hexagon	3000 × 3000 mm	Page 202	Page 202	<b>BOD3021B</b>	
A9	Tent – Version B – Small hexagon	3000 × 3000 mm	Page 202	Page 202	<b>BOD3021D</b>	
A10	Passenger Car Design		Page 203	Page 203	<b>BOD0001A</b>	
A11	Van Design		Page 204	Page 204	<b>BOD0001B</b>	
A12	Clothing Accessories		Page 205	Page 205		



BOBCAT FAN SHOP  
**bobcat-shop.com**